


Freestanding Appliances 2021



Who are Bosch?



"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 130 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products - just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:











Contents

| Customer service | 2-3 |
|---|-------|
| 0.0000000000000000000000000000000000000 | - ` |
| Energy Labels | 4-5 |
| Home Connect | 6-9 |
| Home Laundry | 10-27 |
| Introducing the Bosch laundry range | 10-17 |
| Washing machines | 18-22 |
| Washer dryers | 23 |
| Tumble dryers | 24-27 |
| Dishwashers | 28-3 |
| Introducing the Bosch dishwasher range | 28-3 |
| 60cm dishwashers | 33-30 |
| Slimline dishwashers | 37-38 |
| | |

| Refrigeration | 39-61 |
|--|-------|
| Introducing the Bosch refrigeration range | 39-43 |
| Fridge freezers | 44-50 |
| Fridges | 51-52 |
| Freezers | 53-54 |
| Undercounter fridges, freezers and fridge freezers | 55 |
| French door fridge freezer | 56 |
| American fridge freezers | 57-59 |
| Wine coolers | 60-61 |

| Small appliances | 62-87 |
|--|-------|
| Introducing the Bosch | 62-63 |
| vacuum cleaner range | |
| Vacuum cleaners | 64-67 |
| Microwaves | 68 |
| Food preparation | 69-75 |
| Handheld blenders | 76-77 |
| Hand mixers | 78 |
| Kettles & toasters | 79-83 |
| Tassimo coffee machines | 84-85 |
| Filter coffee machines | 87 |
| Installation Drawings & Accessories | 88-91 |



Peace of mind from Bosch



Customer Service

Trust Bosch Home Appliances Customer Service to help you with the following:

- Offer product advice on using your appliance or help with choosing a new Bosch appliance
- Register your appliances and extend the warranty
- Arrange a repair for your appliance by a Bosch engineer
- Locate and buy replacement spare parts and accessories

We're available seven days a week. You can call us on:

UK: 0344 892 8979 IE: 01450 2655



Our advisors are available Monday to Friday 8am to 6pm, Saturday 9am to 5pm and Sunday 9am to 4pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges. In some areas, we may use an approved service partner and the process may vary for repairs carried out by our service partners.

Please note that due to the implications of COVID-19, our contact hours and service availability are subject to change. For the latest information and updates on our services, please visit our COVID-19 Service Update page at https://www.bosch-home. co.uk/coronavirus. Republic of Ireland customers should visit: https://www.bosch-home.ie/coronavirus.

Prefer to receive help online?

You can also visit: https://www.bosch-home.co.uk/customer**service/get-support** to quickly find support online. We cover questions about usage and maintenance of your appliance, as well as tips on getting started and installing your new appliances. You can also book a repair visit, manage your existing bookings

Republic of Ireland customers should visit: https://www.boschhome.ie/customer-service/get-support

Repair Service

Award-winning repairs in and out of warranty.

If your Bosch appliance needs a repair, we're here to help. Equipped to repair your appliance on the first visit, our team of locally based engineers are employed and trained by Bosch, which gives them



Excellence

+Quality

Total

unrivalled knowledge and expertise to repair our appliances.

You can easily book, and manage your engineer visit online at: https://www.bosch-home.co.uk/customer-service/repair**service** or via our call centre (see contact details above). Republic of Ireland customers should visit: https://www.bosch-home.ie/ customer-service/repair-service

Warranties, Accessories and Spare Parts

Warranty Options

Understand more about the warranty options from Bosch.

Your Bosch appliances are supplied with a two-year manufacturer's warranty as standard, but you also have the option to extend this warranty to a total of five years for added peace of mind with the Bosch Extended Warranty, Learn more about your options by speaking to one of our experienced advisors or by visiting our website: https://www.bosch-home. co.uk/customer-service/care-protection-and-parts/ additional-warranties.

Republic of Ireland customers should visit: https://www.boschhome.ie/customer-service/care-protection-and-parts/twoyear-manufacturers-warranty.

Register my appliance

Receive product updates instantly.

We advise that you register your appliances so we can contact you about any product updates. You can visit:

www.registermyappliance.org.uk for further information. Any appliances you register will then be automatically registered for their two-year manufacturer's warranty, and you'll also have the option to extend your warranty further on eligible appliances by purchasing the Bosch Extended Warranty. Choose to register your appliance online or by calling us.

Cleaning and Care, Cookware and Other Accessories

Tested and approved products.

You can find everything you need for any appliance on the Bosch online store. It's here you'll find our tested and approved cleaning and care products, along with other accessories, ranging from a glass holder for your new dishwasher to a TeppanYaki for

Shop online at:

UK: https://www.bosch-home.co.uk/store IE: https://www.bosch-home.ie/store

Spare Parts

Genuine Bosch parts, not copies.

Bosch keeps a comprehensive range of replacement spare parts for up to 10 years. You can browse our exploded view diagrams in our store or speak to an advisor on the phone to help you locate and buy the spare parts you need.



The new Energy Label: Valid from 1st March, 2021.

Technological development over the past few years has resulted in a higher concentration of products that carry labels with a value of A+ or better. Consequently, the label has not been fulfilling its original function as an aid for making purchasing decisions as well as it formerly did. Other basic conditions like user behaviour have also changed. That's why it's time to adapt the existing energy label. The first home appliances to have the new label will be washing machines, washer-dryers, dishwashers, cooling appliances and wine coolers. As of 1st March, 2021, these appliances must show the new label when sold in shops, online, etc.


The most significant change in the new energy labels is the elimination of the energy efficiency plus classes like, for example A+++. Classification will be from A to G. New methods will also be used for measuring energy consumption and determining the label class. According to EU specifications, they should, to the extent possible, take into account the real-life usage of the product and reflect the average consumer behaviour. This means, for example, that energy consumption for washing machines, washer-dryers and dishwashers will no longer be specified per year but per 100 operating cycles of the particular appliance.

The duration of the label programme to be tested will also be specified for these products. In the case of washing machines and washer-dryers, there will even be a maximum programme duration that must not be exceeded.

The test programme for labelling washing machines and washer-dryers is also changing. The new "Eco 40-60" programme will be displayed on the appliance panel. In addition, these devices now have an even higher requirement for their washing performance, as well as a minimum requirement for their rinsing effect. For dishwashers, the composition of the standard place setting will also be changed. For these and other reasons, it is not possible to directly convert the current efficiency classes to the new classes. In addition, you will also be able to retrieve further product information directly via a QR code that is displayed on the energy label. The QR code forwards you to a database operated by the EU from 1.3.2021. This is where you can view and download data sheets for all appliances that require the new energy label. Access to the database is also possible via the Internet. For more information on the new energy label, visit: www.bosch-home.com

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.





Sample energy label for dishwashers:

The energy efficiency class for dishwashers continues to be based on the "Eco" programme. However, the test standard has been changed. For example, coffee cups, stainless-steel pots, and plastic utensils will be used to determine cleaning and drying performance to better reflect actual usage behaviour. What's new is the specification of the duration of the Eco programme. This programme is especially eco-friendly, is ideal for normally soiled dishes and is the most efficient programme in terms of the combined "energy and water consumption". However, for resource-saving cleaning (with less consumption of electricity, water and detergent), you have to give these components a certain amount of time to develop their full effect. As with washing machines and washer-dryers, energy consumption will be based on 100 cleaning cycles.

Key

- 1 QR code
- 2 Energy efficiency class
- 3 Energy consumption in kWh/100 operating cycles (in Eco programme)
- 4 Number of standard place settings for the Eco programme
- 5 Water consumption in litres/operating cycle (in Eco programme)
- 6 Duration of the "Eco" programme
- 7 Noise emissions expressed in dB(A) re 1 PW and noise emission class

Sample energy label for washing machines:


One of the major changes in the energy label for washing machines is the change in the test programme to which all label values refer. Like, for example, the energy consumption which will be based on 100 wash cycles. The new "Eco 40-60"* programme is suitable for cleaning normally soiled fabrics made of cotton, linen or mixed fibres which, based on their care symbol, are washable at 40°C or 60°C. The fabrics named may be combined in this wash cycle. The "Eco 40-60" programme is the most efficient programme in the combination "energy and water consumption".

Key

- 1 QR code
- 2 Energy efficiency class**
- 3 Weighted energy consumption** in kWh/100 operating cycles (in Eco 40-60 programme)
- 4 Maximum load capacity
- 5 Duration of "Eco 40-60" programme
- 6 Weighted water consumption** in litres/operating cycle (in Eco 40-60 programme)
- 7 Spin efficiency class**
- 8 Noise emissions during spin cycle expressed in dB(A) re 1 PW and noise emission class** Values apply to quarter, half and full loads

^{*} Eco 40-60 In order to achieve optimal energy efficiency, an optimal washing temperature is defined for this programme. This temperature can't be changed by the customer. The actual washing temperature is specified in the user manual and, depending on the load size, may deviate from the selected washing temperature for reasons of saving energy. Washing performance complies with legal requirements.

**Values apply to quarter, half and full loads.



Home Connect

From controlling your Home Connect Serie 8 oven with your voice, to getting notifications when your laundry is ready, our more helpful smart appliances mean less things to think about and more time to spend on something else. Bosch Home Appliances with Home Connect ensure your home is ready for the future, today.

How you can use your Home Connect app.

| 103 103 103 103 103 103 103 103 103 103 | | | | 1 | | MyBosch MyBosch |
|--|---------------------------------|---|---|---|---|-----------------|
| Oven | Washer & dryer | Fridge freezers | Dishwasher | Fully automatic coffee machine | Hob & hoods | Services |
| Seasonal recipe specials | Easy start | Smart storage guide/object recognition | Easy Start in three steps to choose the perfect wash. | Coffee playlist | Filter saturation & replacement - Let the hood notify you when the filter needs replacing. | Tips & tricks |
| Voice Control - Sticky hands? Ask Alexa or Google to adjust the temperature and more. | Additional stain programmes | Camera in the fridge - Check to see if you need more milk from the supermarket. | Receive tablet, rinse aid and salt level notifications via the app and Amazon Alexa, so you never run out. | Coffee world - Make a coffee from your favourite destination. | Hob-hood control - Ensure the hood starts whenever you use the hob. | User manual |
| Recipe filters | Adjust washing time - MyTime | Inventory manager - Add fridge contents and use by dates, to better manage your food consumption. | Auto tablet replenishment thanks to Smart reorder via Amazon Alexa. | MyCoffee - Add your personal coffee to MyCoffee for fast easy coffee your way. | Remote setting & monitoring | Accessories |
| Programme notifications | Smart Drying | | | | | Online shop |
| Adjust oven settings on the go | Programme notifications | | | | | |

Why not try the app?

Experience it yourself: download the free Home Connect app and try Home Connect, even if you don't have an appliance.



For more information on Home Connect



























amazon alexa

Voice control services based on Amazon Alexa will allow you to connect and control your appliances in your home simply by speaking to Alexa. Along with the ability to use Alexa with many other partners from Philips Hue and IFTTT, the possibilities are endless.

Once Home Connect devices are set up you can control your oven, dishwasher, coffee machine, washing machine and tumble dryer. All you'll need to do is simply ask:



Alexa will then continue to guide you through. Search for Home Connect in the Skills area of the Alexa app.

Google Assistant

With the Google Assistant, users can get the best out of Google and connected home appliances with Home Connect. Just say, "Hey Google" to get started. You can check to see if you need more milk from the supermarket and even stay notified on the go with compatible wearable devices.



Simply control your kitchen appliances with voice control, from your dishwasher and washing machine to your hood and oven.

You'll be able to turn the appliances on and off, but also query Google Assistant about when the appliance will be done and what programme is running.

Helpful Home Appliances

The future has arrived and it's knocking on your front door. Home Connect brings smart technology to your appliances and lets you control them with your phone or tablet.

So, whether you want to turn the oven on to cook your dinner when you're on your way home, or check what's in your fridge while you're at the shops, you'll be in complete control.

Simple to set up, simple to use.

There's no need to worry if you're not a technical genius. We've made sure Home Connect is simple and straightforward to set up. If you do need a helping hand, please scan the QR code below. You'll find the Home Connect app just as easy to use. There are lots of pre-set options to get you started quickly, and everything is set out logically and clearly.

Relax - we're invented for life.


Home Connect uses the same security protocol as online banking, so you can enjoy extra peace of mind when you're using your Bosch appliances.

Our app has TUV Trusted App certification, and all of our Home Connect appliances are Wi-Fi certified by the Wi-Fi Alliance.



Setting up your home appliance and adjusting the product to suit your needs is easier with the Home Connect app.

To find out more, scan the QR code.



Peace of mind with Home Connect

Favourites

Meal planning has never been easier. Browse the Home Connect Recipe Book from your favourite armchair. When you've made your choice, simply send all the settings from the app directly to your oven, so it's ready to go when you are.

The range of recipes are all tried and tested by Bosch Home Economists around the world, so you'll find exciting new flavours alongside old family favourites.



Easy Start

Your i-DOS washing machine uses the water hardness and fill level to determine how much fabric softener is required to get a perfectly clean result.

And so that you never run out of detergent, the Home Connect app sends you a timely reminder when your liquid detergent and fabric conditioner running low.

Tablet top up

Smart reordering of dishwasher tablets can be used via the Amazon Alexa app. To use smart reorder via the Alexa app, start by enabling the Home Connect dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.



Perfective 14:00 Series

Remote Delayed start*

In a hurry, load up, put a tablet in, walk away and as you do so ask Alexa or Google to tell your dishwasher to run programme (auto 45-65), and option (SpeedPerfect+). Yes that's it. Dishes done, leave it with us.

*Available on selected models.

Introducing the Bosch laundry range.

Energy and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.



Serie 8

Perfection in every detail, our Serie 8 range stands out from the crowd with superior quality, results and first-class design. Discover cutting-edge features and extras such as i-DOS automatic dosing system and targeted AntiStain programmes to take the guesswork out of stain removal. Our 4D Wash function ensures highly efficient usage of water and detergent guaranteeing spotless results. Monitor and control your wash remotely with our Home Connect models, developed to give you complete control over your washing.

Serie 6

Our **Serie 6** models offer advanced features to make life easier. **i-DOS** doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. **SpeedPerfect** allows you to wash up to 65% faster without compromising results.

Serie 4

Easy to operate with family in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. These models benefit from the **Reload** function, which allows you to open the door throughout most of the cycle so you can add or remove items at any time.

Laundry functions explained.

(Check model for available functions)



VarioDrum

Select the programme for your wash and the droplet-shaped drum structure and asymmetrical paddles will adjust the drum movements to powerful or gentle.



EcoSilence Drive

Bosch EcoSilence Drive washing machines come with a 10-year guarantee.



Agua Stor

This security gives you peace of mind that the water will stop in the unlikely event of a leak.



i-DOS

i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load, adapting to the fabrics, level of soiling and weight of the load.



AllergyPlus

Hygienic washing results that kill 99,99% of common germs*.



Reload

Simply pause the cycle and the machine will automatically adjust the water. This allows you to add or remove items of any size to your wash.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Capacity

Our Freestanding washing machines have a drum capacity of up to 10kg, perfect for those busy households.



Home Connect

Home appliances with smart connectivity. The Easy Start Guide function removes the guesswork by recommending the right programme to you – directly from your mobile device. Also if you wish, Push Notifications can be sent from your washing machine directly to your mobile device.



SpeedPerfect

Wash up to 65%** faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.

4D Wash

A combination of the direct water spray and an extra spin wash enables the most efficient and effective use of water and detergent, even when the drum is fully loaded. Achieve spotless laundry results every time.

Intensive Plus

For heavily soiled laundry, sometimes additional treatment is needed. Intensive Plus gives a boost to your cleaning performance by adding an extra wash for approximately 30 minutes. Providing you with brilliant results even on the most challenging clothes.

*Bosch washing machines with the 'AllergyPlus' wash programme at 40° and 60° fulfill scientifically recommended conditions for 99,99% of germ reduction for Enterococcus Hirae and Pseudomonas Aeruginosa, according to Honisch et al. 2014, "Impact of wash cycle time, temperature and detergent formulation on the hygiene effectiveness of domestic laundering." Conducted by University Rhine-Waal.

**Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with SpeedPerfect option.

Lookout for the new energy efficiency class icons throughout our brochure and on our product pages.



Never miss an item again. Reload by Bosch.



Bosch integrated technology for a peaceful washing experience.

Enjoy the quiet life.

The modern world is noisy enough, so it's good to know that Bosch technology can help make the home environment a little oasis of calm with our **EcoSilence Drive**[™]

Less rock and roll.

We've also created **AntiVibration** technology to cut down noise. The sidewalls of the washing machine feature a spiral design that increases stability and reduces vibrations. Improved sound insulation and low noise shock absorbers further

The right wash for the right stain.

The **AntiStain Plus System** easily removes up to 16 of the most stubborn stains, helping you to easily get perfect washing results. The washing machine automatically adjusts the temperature, drum movement and soaking time to meet the demands of the relevant stains before your chosen programme starts.



Everything's just right with i-DOS.

ᇦ i-DOS

Too much detergent or too little can lead to poor washing results. i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature.



The perfect dose every time.

It's easier than you might think to get the detergent dose wrong when doing the laundry. Thanks to i-DOS, it's no longer a worry. The automatic dosing system from Bosch uses the optimum amount of detergent for every wash whatever the size of your load.



The right setting for the load. Makes perfect sense.

Whether it's a quick sports wash or a full weekly load, sensors within the automatic dosing system determine the amount and type of clothes within each load and set the correct temperature and amount of detergent required for perfect results.





Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjust the detergent to the optimum dose accordingly. In this way, you'll achieve the best results for your clothes, whilst **saving detergent** and water.

Too much.

Using too much detergent – even by a little – leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Too little.

Using too little detergent can lead to poorer washing results. Stains won't be completely removed and could be left on clothes permanently. Insufficient detergent can also result in discolouration and unpleasant odours.

Washer dryers



Convenience for small spaces.

Our washer dryers not only wash flawlessly, they also dry perfectly – all in one appliance. An ideal solution for people with high standards but not much space.

Wash & dry in one.

Now you can wash and dry a load thoroughly in just one hour. This programme is suitable for lightly soiled clothes and for washing and drying heat resistant textiles, such as cottons or linen.

Washer dryer functions explained.

(Check model for available functions)



Iron Assist

Iron Assist makes ironing easier. It sprays a natural mist that permeates preheated textiles and visibly smooths your laundry. This extra steam treatment reduces or even eliminates the need to iron dried garments.



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



WrinkleGuard

Thanks to WrinkleGuard you'll reduce the size of your ironing pile! The drum will continue to move dry laundry for a period of time after the cycle has finished, so clothes are cooled gradually and don't wrinkle when they are still warm.



EcoSilence Drive™

Bosch EcoSilence Drive™ washing machines come with a 10-year guarantee.



SpeedPerfect

Wash up to 65%* faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.



Capacity

Our Freestanding washer dryers have a drum capacity of up to 10kg, perfect for those busy households. Wash and dry up to 6 kg of items in one go or wash up to 10 kg.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with **SpeedPerfect** option.



To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what's in the load and it will work out the perfect programme. It will even tell you if there's an item that should come out and be washed a different way.

Serie 8

WAX28EH1GB

Available July 2021



| DESIGN FAMILY | SERIE 8 |
|---|--------------------------|
| MODEL | WAX28EH1GB |
| KEY FEATURES | |
| Home Connect | • |
| i-DOS detergent dosing system | • |
| SpeedPerfect | • |
| Reload facility | • |
| Stain Removal system | AntiStain Plus (16) |
| EcoSilence Drive | • |
| AntiVibration design | • |
| Reduced ironing option | • |
| Reduced noise option | - |
| 4D Wash system | • |
| Intensive Plus | • |
| Consumption indicator | EcoBar Plus |
| ADDITIONAL FEATURES | |
| | 24 haven |
| Time delay Child lock | 24 hours |
| | |
| Drum interior light | A |
| Safety | AquaStop |
| PROGRAMMES / FUNCTIONS | |
| Eco 40-60 | • |
| Cottons | • |
| Super Quick 15/30 | • |
| AllergyPlus | • |
| Easy-care | • |
| Mixed Load | • |
| Wool | • |
| Delicates/Silk | • |
| Sportswear | • |
| Dark Wash/EasyCare plus/Jeans | • |
| Shirts and blouses | • |
| Duvet/ Down wear | • |
| Towels | - |
| Curtains | - |
| Auto programmme | • |
| Memory programme | • |
| Drum Clean | • |
| Extra Rinse | |
| Pre Wash | • |
| Rinse/Spin | • |
| Rinse hold | • |
| Soak | • |
| Variable Temperature/Variable Spin | •/• |
| PERFORMANCE / TECHNICAL INFORMATION | 5,0 |
| | |
| Energy efficiency class ¹ | A B |
| Load capacity (kg) | 1-10 |
| Energy ² / Water ³ (kWh / litres) | Check online for details |
| Programme duration4 (h:mm) | Check online for details |
| Maximum spin speed (rpm) ⁵ | 1400 |
| Spin efficiency class | Check online for details |
| Noise level (dB(A) re 1 pW) | 71 |
| Noise emission class | A |
| Dimensions of the product (H x W x D) (inc. door porthole) (mm) | 848 x 598 x 590 (632) |
| Door opening angle | 180° |
| • = Yes -= No | |

¹On an energy-efficiency class scale from A to G² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴Duration of Eco 40-60 programme

WASHER









| | |
|------|--------|
| | v 2021 |
| | |

| e May 2021 Until October 202 |
|------------------------------|
|------------------------------|

| ТҮРЕ | WASHER | WASHER | WASHER | WASHER |
|--|---------------------------|---------------------------|---------------------|---------------------------------------|
| DESIGN FAMILY | SERIE 8 | SERIE 8 | SERIE 8 | SERIE 8 |
| MODEL | WAX32EH1GB | WAX32GH4GB | WAV28EH3GB | WAV28KH3GB |
| KEY FEATURES | | | | |
| Home Connect | • | • | • | • |
| -DOS detergent dosing system | • | | • | • |
| SpeedPerfect | • | • | • | • |
| Reload facility | • | • | • | • |
| Stain Removal system | AntiStain Plus (16) | AntiStain Plus (16) | AntiStain Plus (16) | |
| EcoSilence Drive | • | • | • | • |
| AntiVibration design | • | • | • | • |
| Reduced ironing option | • | • | • | - |
| Reduced noise option | - | • | | |
| 4D Wash system | • | • | • | • |
| Intensive Plus | | | • | • |
| Consumption indicator | EcoBar Plus | EcoBar Plus | EcoBar Plus | EcoBar Plus |
| | 200541100 | 200541110 | 200541145 | 200541140 |
| ADDITIONAL FEATURES | | | | |
| Time delay | 24 hours | 24 hours | 24 hours | 24 hours |
| Child lock | • | • | • | • |
| Drum interior light | • | • | • | • |
| Safety | Multiple Water Protection | Multiple Water Protection | AquaStop | Multiple Water Protection |
| PROGRAMMES / FUNCTIONS | | | | |
| Eco 40-60 | • | • | • | • |
| Cottons | • | • | • | • |
| Super Quick 15/30 | • | • | • | • |
| AllergyPlus | • | | • | |
| Easy-care | | | • | • |
| Mixed Load | | | • | • |
| Wool | | | • | • |
| Delicates/Silk | | | | • |
| Sportswear | | | • | • |
| Dark Wash/EasyCare plus/ Jeans | | | • | · · · · · · · · · · · · · · · · · · · |
| Shirts and blouses | • | • | • | • |
| Duvet/ Down wear | • | • | | • |
| Towels | | | • | |
| Curtains | | • | · · | |
| | | _ | | |
| Auto programmme | • | | • | • |
| Memory programme Drum Clean | • | • | • | · · |
| | • | • | • | • |
| Extra Rinse | • | • | • | • |
| Pre Wash | • | • | • | • |
| Rinse/Spin | • | • | • | • |
| Rinse hold | • | • | • | • |
| Soak | • | • | • | |
| Variable Temperature/Variable Spin | •/• | •/• | •/• | •/• |
| PERFORMANCE / TECHNICAL INFORMATION | | <u></u> | | |
| Energy efficiency class ¹ | A C | â C | â A | å B |
| Load capacity (kg) | 1-10 | 1-10 | 1-9 | 1-9 |
| | 67/49 | 67/49 | 48 / 48 | 57 / 48 |
| Energy ² / Water ³ (kWh / litres) | | 3:55 | 3:44 | 3:40 |
| Energy* / Water* (kWh / litres) Programme duration* (h:mm) | 3:55 | | | |
| Programme duration ⁴ (h:mm) | | | 1400 | 1400 |
| Programme duration ⁴ (h:mm) Maximum spin speed (rpm) ^s | 1600 | 1600 | 1400 B | 1400 B |
| Programme duration ^s (h:mm) Maximum spin speed (rpm) ^s Spin efficiency class | 1600 A | 1600 A | В | В |
| Programme duration ⁴ (h:mm) Maximum spin speed (rpm) ^s | 1600 | 1600 | | |

 1 On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice

Door opening angle















| ТҮРЕ | WASHER | WASHER | WASHER | WASHER |
|---|---------------------------|---------------------------------------|---------------------------------------|---------------------------|
| DESIGN FAMILY | SERIE 8 | SERIE 8 | SERIE 8 | SERIE 6 |
| MODEL | WAX32MH9GB | WAV28MH4GB | WAV28MH3GB | WAL28RH1GB |
| KEY FEATURES | | | | |
| Home Connect | • | • | • | • |
| i-DOS detergent dosing system | * | - | - | * |
| SpeedPerfect | • | • | • | • |
| Reload facility | • | • | • | • |
| Stain Removal system | AntiStain (4) | AntiStain (4) | AntiStain (4) | AntiStain (4) |
| EcoSilence Drive | • | • | • | • |
| AntiVibration design | • | • | • | • |
| Reduced ironing option | • | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | • |
| Reduced noise option | • | • | · · · · · · · · · · · · · · · · · · · | • |
| 4D Wash system | • | • | • | • |
| Intensive Plus | FaaDaa Dissa | Eas Dave Divis | Fan Dan Dhua | EcoBar Plus |
| Consumption indicator | EcoBar Plus | EcoBar Plus | EcoBar Plus | ECOBAL Plus |
| ADDITIONAL FEATURES | | | | |
| Time delay | 24 hours | 24 hours | 24 hours | 24 hours |
| Child lock | • | • | • | • |
| Drum interior light | • | • | • | • |
| Safety | Multiple Water Protection | Multiple Water Protection | Multiple Water Protection | Multiple Water Protection |
| PROGRAMMES / FUNCTIONS | | | | |
| Eco 40-60 | • | • | | |
| Cottons | • | • | • | • |
| Super Quick 15/30 | • | • | • | • |
| AllergyPlus | • | • | • | • |
| Easy-care | • | • | • | • |
| Mixed Load | • | • | • | • |
| Wool | • | • | • | • |
| Delicates/Silk | • | • | • | • |
| Sportswear | • | • | • | • |
| Dark Wash/EasyCare plus/ Jeans | - | - | - | • |
| Shirts and blouses | • | • | • | • |
| Duvet/ Down wear | - | - | - | - |
| Towels | - | - | - | - |
| Curtains | - | - | - | - |
| Auto programmme | - | - | - | - |
| Memory programme | • | • | • | • |
| Drum Clean | • | • | • | • |
| Extra Rinse | • | • | • | • |
| Pre Wash | • | • | • | • |
| Rinse/Spin | • | • | • | • |
| Rinse hold | • | • | • | • |
| Soak | | | | |
| Variable Temperature/Variable Spin | •/• | ●/● | ●/● | •/• |
| PERFORMANCE / TECHNICAL INFORMATION | | | | |
| Energy efficiency class ¹ | å C | Å A | A B | å C |
| Load capacity (kg) | 1-9 | 1-9 | 1-9 | 1-10 |
| Energy ² / Water ³ (kWh / litres) | 65 / 48 | 48/48 | 57 / 48 | 67 / 47 |
| Programme duration ⁴ (h:mm) | 3:47 | 3:44 | 3:40 | 3:50 |
| Maximum spin speed (rpm) ⁵ | 1600 | 1400 | 1400 | 1400 |
| Spin efficiency class | А | В | В | В |
| Noise level (dB(A) re 1 pW) | 70 | 69 | 70 | 75 |
| Noise emission class | A | A | A | В |
| Dimensions of the product (H x W x D) (inc. door porthole) (mm) | 848 x 598 x 590 (632) | 848 x 598 x 590 (632) | 848 x 598 x 590 (632) | 848 x 598 x 590 (632) |

| Energy efficiency class ¹ | |
|--------------------------------------|--|

| Energy efficiency class ¹ | Ĉ C | å A | A B | å C |
|---|-----------------------|-----------------------|-----------------------|-----------------------|
| Load capacity (kg) | 1-9 | 1-9 | 1-9 | 1-10 |
| Energy ² / Water ³ (kWh / litres) | 65 / 48 | 48 / 48 | 57 / 48 | 67 / 47 |
| Programme duration ⁴ (h:mm) | 3:47 | 3:44 | 3:40 | 3:50 |
| Maximum spin speed (rpm) ⁵ | 1600 | 1400 | 1400 | 1400 |
| Spin efficiency class | A | В | В | В |
| Noise level (dB(A) re 1 pW) | 70 | 69 | 70 | 75 |
| Noise emission class | A | A | A | В |
| Dimensions of the product (H \times W \times D) (inc. door porthole) (mm) | 848 x 598 x 590 (632) |
| Door opening angle | 171° | 171° | 171° | 171° |

 $^{^1}$ On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)









| | PAS WARRAN | | | |
|--|-----------------------|--|---------------------------|---------------------------|
| ТҮРЕ | WASHER | WASHER | WASHER | WASHER |
| DESIGN FAMILY | SERIE 6 | SERIE 6 | SERIE 6 | SERIE 6 |
| MODEL | WAU28PH9GB | WAU28R90GB | WAU28TS1GB | WAU28T64GB |
| KEY FEATURES | | | SILVER INOX | |
| Home Connect | • | • | • | • |
| -DOS detergent dosing system | • | • | - | • |
| SpeedPerfect | • | • | • | • |
| Reload facility | A-AiChair (A) air ann | • AntiStain (4) | • | • |
| Stain Removal system CoSilence Drive | AntiStain (4) via app | AntiStani (4) | • | • |
| ntiVibration design | | • | | • |
| Reduced ironing option | | • | | • |
| leduced noise option | | • | | |
| D Wash system | | · · · · · · · · · · · · · · · · · · · | | |
| ntensive Plus | | - | - | |
| Consumption indicator | EcoBar Plus | EcoBar Plus | EcoBar | EcoBar |
| ADDITIONAL FEATURES | | | | |
| ime delay | 24 hours | 24 hours | 24 hours | 24 hours |
| Child lock | 2410013 | 2410013 | 2410013 | 2410013 |
| Orum interior light | • | · · · · · · · · · · · · · · · · · · · | | · · |
| Safety | AquaStop | Multiple Water Protection | Multiple Water Protection | Multiple Water Protection |
| PROGRAMMES / FUNCTIONS | | | | |
| | _ | | _ | _ |
| co 40-60 Cottons | • | • | • | • |
| uper Quick 15/30 | : | • | - | - |
| llergyPlus | | <u>. </u> | • | • |
| asy-care | • | • | : | • |
| lixed Load | | • | | • |
| Vool | · | | | |
| Delicates/Silk | | • | | • |
| portswear | - | • | • | • |
| Iark Wash/EasyCare plus/ Jeans | • | • | | • |
| hirts and blouses | • | • | • | • |
| Juvet/ Down wear | - | - | - | - |
| owels | - | - | - | - |
| curtains | | - | | - |
| luto programmme | • | | - | - |
| Memory programme | - | - | - | - |
| rum Clean | • | • | • | • |
| xtra Rinse | • | • | - | • |
| re Wash | • | • | • | • |
| linse/Spin | • | • | • | • |
| tinse hold | • | • | • | • |
| oak | | <u> </u> | | - |
| ariable Temperature/Variable Spin | •/• | •/• | •/• | •/• |
| PERFORMANCE / TECHNICAL INFORMATION | | | | |
| nergy efficiency class ¹ | Ĉ C | å C | â C | Ĉ C |
| oad capacity (kg) | 1-9 | 1-9 | 1-9 | 1-9 |
| nergy² / Water³ (kWh / litres) | 66 / 44 | 66 / 44 | 66 / 44 | 66 / 44 |
| rogramme duration ⁴ (h:mm) | 3:37 | 3:37 | 3:37 | 3:37 |
| laximum spin speed (rpm) ⁵ | 1400 | 1400 | 1400 | 1400 |
| pin efficiency class | В | В | В | В |
| loise level (dB(A) re 1 pW) | 72 | 72 | 72 | 72 |
| loise emission class | A | A | А | A |
| imensions of the product (H x W x D) (inc. door porthole) (mm) | 845 x 598 x 590 (633) | 848 x 598 x 590 (632) | 848 x 598 x 590 (632) | 848 x 598 x 590 (632) |
| Door opening angle | 171° | 171° | 171° | 171° |

³ Van an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.
5 Year Warranty Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.

³Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴Duration of Eco 40-60 programme ⁵The specified value is rounded. **Data valid in this table as of April 2021.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.











| ТҮРЕ | WASHER | WASHER | WASHER | WASHER | WASHER |
|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 6 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL | WAU24T64GB | WAU28S80GB | WAN282X1GB | WAN28281GB | WAN24109GB |
| KEY FEATURES | | | SILVER INOX | | |
| Home Connect | | | | - | |
| i-DOS detergent dosing system | | • | - | - | - |
| SpeedPerfect | • | • | • | • | • |
| Reload facility | • | • | • | • | • |
| Stain Removal system | - | | * | | |
| EcoSilence Drive | • | • | • | • | • |
| AntiVibration design | • | • | • | • | • |
| Reduced ironing option | • | · · | | - | |
| Reduced noise option | - | • | • | • | • |
| 4D Wash system | • | - | - | - | • |
| Intensive Plus | | | • | | |
| Consumption indicator | EcoBar | EcoBar | • | | • |
| ADDITIONAL FEATURES | | | | | |
| Time delay | 24 hours |
| Child lock | • | • | • | • | • |
| Drum interior light | - | | - | - | |
| Safety | Multiple Water Protection |
| PROGRAMMES / FUNCTIONS | | | | | |
| Eco 40-60 | • | • | • | • | • |
| Cottons | • | • | • | • | • |
| Super Quick 15/30 | • | • | • | • | • |
| AllergyPlus | • | - | • | • | • |
| Easy-care | • | • | • | • | • |
| Mixed Load | • | • | • | • | • |
| Wool | • | • | • | • | • |
| Delicates/Silk | • | • | • | • | • |
| Sportswear | • | • | • | • | • |
| Dark Wash/EasyCare plus/ Jeans | • | -/● | • | • | • |
| Shirts and blouses | • | • | • | • | • |
| Duvet/ Down wear | - | - | - | - | |
| Towels | - | - | - | - | |
| Curtains | - | - | - | - | - |
| Auto programmme | - | • | - | - | • |
| Memory programme | | - | - | - | • |
| Drum Clean | • | • | • | • | • |
| Extra Rinse | • | • | • | • | • |
| Pre Wash | • | • | • | • | • |
| Rinse/Spin | • | • | • | • | • |
| Rinse hold | • | • | • | • | • |
| Soak Variable Temperature/Variable Spin | •/• | •/• | •/• | •/• | •/• |
| PERFORMANCE / TECHNICAL INFORMATION | •/• | 0 / 0 | 0/0 | 6 /6 | •/• |
| | A C | A C | A C | A C | A C |
| Energy efficiency class ¹ | | | | | |
| Load capacity (kg) | 1-9 | 1-8 | 1-8 | 1-8 | 1-8 |
| Energy ² / Water ³ (kWh / litres) | 66 / 44 | 62/43 | 63 / 48 | 63 / 48 | 63 / 48 |
| Programme duration ⁴ (h:mm) | 3:37 | 3:29 | 3:35 | 3:35 | 3:29 |
| Maximum spin speed (rpm) ⁵ | 1200 | 1400 | 1400 | 1400 | 1200 |
| Spin efficiency class | В | В | В | В | В |
| Noise level (dB(A) re 1 pW) | 72 | 72 | 74 | 74 | 76 |
| Noise emission class | A | A | В | В | В |
| Dimensions of the product (H x W x D) (inc. door porthole) (mm) | 848 x 598 x 590 (632) | 845 x 598 x 590 (633) | 848 x 598 x 550 (600) | 848 x 598 x 550 (600) | 848 x 598 x 550 (600) |

Door opening angle

171°

Washer dryers









| | | | | Available April 2021 |
|---|---------------------------|---------------------------|---------------------------|-----------------------|
| ТҮРЕ | WASHER DRYER | WASHER DRYER | WASHER DRYER | WASHER DRYER |
| DESIGN FAMILY | SERIE 6 | SERIE 6 | SERIE 6 | SERIE 4 |
| 10DEL | WDU28569GB | WDU28561GB | WNA14490GB | WNA134U8GB |
| KEY FEATURES | SILVER INOX | WHITE | WHITE | WHITE |
| CoSilence Drive | • | • | • | • |
| SpeedPerfect | • | • | • | • |
| eload facility | • | • | • | • |
| utoDry function | • | • | • | • |
| elf cleaning condenser | • | • | • | • |
| ADDITIONAL FEATURES | | | | |
| ime delay / Time Remaining | • | • | • | • |
| Child safety lock | • | • | • | • |
| Vater protection system | Multiple water protection | Multiple water protection | Multiple water protection | AquaSecure |
| PROGRAMMES | | | | |
| on Assist | • | • | • | • |
| lygieneCare | • | • | - | - |
| llergy+ | - | - | • | - |
| uper Quick 15 | • | • | • | • |
| /ash & Dry 60 mins | • | • | • | • |
| ottons | • | • | • | • |
| asy-care programme | • | • | • | • |
| lool programme | • | • | • | • |
| elicates/ Silk | • | • | • | • |
| itensive Dry | • | • | • | • |
| entle Dry | • | • | • | • |
| ly Time Wash & Dry | • | • | - | - |
| ly Time Dry | - | - | • | • |
| tinse | • | • | • | • |
| pin/ Drain | • | • | • | • |
| Memory | • | • | - | - |
| Orum Clean | • | • | - | - |
| Sportswear | • | • | - | • |
| Nixed Load | • | • | • | • |
| leduced noise wash /dry | • | • | - | |
| Reduced ironing | • | • | • | • |
| qua Plus/ Rinse Plus | • | • | - | • |
| 're wash | • | • | • | • |
| ariable Temperature/ Spin | • | • | • | • |
| PERFORMANCE / TECHNICAL INFORMATION | | | | |
| nergy efficiency class washing and drying ¹ | A E | A E | A E | å E |
| nergy efficiency class washing² | A C | A C | Ĉ C → | â C |
| nergy ³ / Water ⁴ washing and drying (kWh / litres) | 364 / 87 | 364/87 | 372/84 | 313/70 |
| nergy ^s / Water ^s washing (kWh / litres) | 67 / 41 | 67/41 | 64/41 | 63 / 41 |
| oad capacity washing and drying / washing (kg) | 1-6/1-10 | 1-6/1-10 | 1-6/1-9 | 1-5/1-8 |
| ogramme duration ⁷ washing and drying / washing (h:mm) | 6:51 / 3:53 | 6:51/3:53 | 7:45 / 3:45 | 7:30 / 3:32 |
| oin efficiency class | В | В | В | В |
| oin speed® (rpm) | 1400 | 1400 | 1400 | 1400 |
| oise level (dB(A) re 1 pW) | 70 | 70 | 69 | 70 |
| ise emission class | A | А | A | A |
| imensions of the product (H x W x D) (inc. door porthole) (mm) | 848 x 598 x 616 (654) | 848 x 598 x 616 (654) | 848 x 598 x 590 (636) | 848 x 598 x 590 (649) |
| , (, | | | | |

• Tes - = NO

1.2 On an energy-efficiency class scale from A to G ³ Energy consumption in kWh/100 complete operating cycles (using Eco 40-60 programme)

4 Water consumption in litres/complete operating cycle (using Eco 40-60 programme)

5 Water consumption in litres/wash cycle (using Eco 40-60 programme)

7 Duration of Eco 40-60 programme, complete operating cycle / wash cycle

8 The specified value is rounded. Data valid in this table as of April 2021. Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.

<sup>be = Yes -= No

On an energy-efficiency class scale from A to G = Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

Water consumption in litres/operating cycle (using Eco 40-60 programme)

The specified value is rounded. Data valid in this table as of April 2021. Subject to modification without prior notice.</sup>

Tumble dryers

Tumble dryer functions explained.

(Check model for available functions)

SmartDry

With Bosch SmartDry enabled by Home Connect, detailed information from the last wash cycle is sent from the connected washing machine to the dryer. The dryer will then select the most suitable programme/settings and precisely adjust the expected



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening



Iron Assist

Bosch heat pump dryers with Iron Assist reduce or even eliminate the need to iron. A fine mist is created inside the drum which permeates the gently warmed contents and visibly smooths laundry.



SelfCleaning Condenser

The SelfCleaning Condenser cleverly uses condensation water to automatically clean itself up to four times per drying cycle. This ensures maximum efficiency for the entire working life of the machine - so you'll never have to worry about the condenser again.



AutoClean

With AutoClean technology, the lint and fluff will automatically be flushed and safely stored after every cycle, giving you peace of mind and efficient running. The machine will remind you to empty it after 20 cycles. No need to empty the door filter after every cycle, as with a regular machine.



EasyClean

The EasyClean condenser filter is simple to access and only needs cleaning after every 20 cycles*

*Door filter still requires cleaning after every cycle.



Heat pump dryers dry economically.

Unlike conventional dryers, our Heat Pump Dryers don't use energy intensive heating elements to heat the air. Instead, we use a heat pump. This innovative component conserves and reuses the hot air which provides most of the energy needed for the drying process.

Short on space? Have you considered a stacking kit?

Please refer to compatibility list on page 91



Model shown: WTX88RH9GB

Serie 8

WTX88EH9GB


Home Connect: home appliances with smart connectivity for an easier everyday life.







For full specification details, please log onto our website and download a full specification sheet



The programme Cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. Annual consumption is based on 160 dryin Data valid in this table as of April 2021. Subject to modification without prior notice.



Tumble dryers







| ТҮРЕ | DRYER | DRYER | DRYER |
|--|-----------------------|-----------------------|-----------------------|
| DESIGN FAMILY | SERIE 8 | SERIE 6 | SERIE 6 |
| MODEL | WTX88RH9GB | WTWH7660GB | WTR88T81GB |
| KEY FEATURES | | | |
| Heat Pump | • | • | • |
| Home Connect | • | • | - |
| SmartDry | • | | - |
| Iron Assist | | | |
| AutoClean | • | - | |
| SelfCleaning Condenser | - | • | |
| EasyClean filter | - | - | • |
| ADDITIONAL FEATURES | | | |
| AutoDry | | _ | |
| Anti crease cycle (mins) | • 120 | • 120 | • 60 |
| | 120 | •/• | •/• |
| Time delay / Time Remaining | | | |
| Drum interior light | • | • | • |
| Water container full / blocked filter warning indicator | •/• | •/• | •/• |
| Child lock | • | • | • |
| PROGRAMMES/FUNCTIONS | | | |
| Cottons | • | • | • |
| Easy-care | • | • | • |
| Woollen Finish | • | • | • |
| SuperQuick 40 | • | • | • |
| Timed programmes | • | • | • |
| Mixed Load | • | • | • |
| Sportswear | • | • | • |
| Towels | • | • | • |
| Delicates | • | • | • |
| Down Wear | • | • | - |
| Shirts and blouses | • | • | • |
| Allergy+ | • | • | |
| Wool / Trainer basket | | | |
| Memory / My Favourite | | -/• | |
| Shirts 15 | | · . | |
| End of cycle indicator | • | • | • |
| Low Heat option | • | • | • |
| Crease Guard | • | • | • |
| PERFORMANCE / TECHNICAL INFORMATION | | | |
| | Д+++ | A+++ | A+++ |
| Energy efficiency class | A+++ 9 | A*** 9 | A+++ 8 |
| Capacity cotton (kg) | | | |
| Energy consumption annual (kWh/annum) | 193 | 243 | 176 |
| Condensation efficiency class | В | A | A |
| Condensation efficiency for standard cotton programme on full and partial load | 88% | 91% | 91% |
| Ambient temperature range | 5-35℃ | 5-35℃ | 5-35℃ |
| Noise level (dB(A) re 1pW) | 62 | 64 | 64 |
| Dimensions of the product (inc. door) (cm) | 842 x 598 x 599 (652) | 842 x 598 x 599 (652) | 842 x 598 x 599 (634) |
| Door opening angle | 170° | 180° | 170° |
| Door hinge position | Right-hand | Right-hand | Right-hand |
| Plumbing out possible? | Yes | Yes | Yes |
| Draining kit included? | Yes | Yes | Yes |



• = Yes -= No

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2021. Subject to modification without prior notice.

• = Yes -= No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2021. Subject to modification without prior notice.









| TYPE | DRYER | DRYER | DRYER | DRYER |
|--|---------------------------------------|---------------------------------------|---------------------------------------|-----------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL | WTG86402GB | WTW85231GB | WTH85222GB | WTN85201GB |
| KEY FEATURES | | | | |
| Heat Pump | - | • | • | - |
| Home Connect | - | - | - | - |
| SmartDry | - | - | | - |
| Iron Assist | - | - | - | - |
| AutoClean | - | - | - | |
| SelfCleaning Condenser | - | • | - | - |
| EasyClean filter | • | - | • | - |
| ADDITIONAL FEATURES | | | | |
| AutoDry | • | • | • | • |
| Anti crease cycle (mins) | 120 | 60 | 60 | 120 |
| Time delay / Time Remaining | ●/● | •/• | •/• | •/• |
| Drum interior light | • | • | | • |
| Water container full / blocked filter warning indicator | •/• | •/• | •/• | •/• |
| Child lock | • | • | • | • |
| PROGRAMMES/FUNCTIONS | | | | |
| | | | | |
| Cottons | • | • | • | • |
| Easy-care Woollen Finish | • | • | • | • |
| | • | • | • | • |
| SuperQuick 40 | • | • | • | • |
| Timed programmes Mixed Load | • | • | • | • |
| | • | • | • | • |
| Sportswear | • | • | • | • |
| Towels | | • | • | • |
| Delicates Down Wear | | • | · | • |
| | • | • | • | • |
| Shirts and blouses | · · · · · · · · · · · · · · · · · · · | • | • | • |
| Allergy+ | • | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | • |
| Wool / Trainer basket | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | • |
| Memory / My Favourite | • | - | · · · · · · · · · · · · · · · · · · · | • |
| Shirts 15 | • | - | · · · · · · · · · · · · · · · · · · · | • |
| End of cycle indicator | • | • | • | • |
| Low Heat option Crease Guard | • | • | • | • |
| PERFORMANCE / TECHNICAL INFORMATION | • | • | • | • |
| | | | | |
| Energy efficiency class | В | A++ | A++ | В |
| Capacity cotton (kg) | 8 | 8 | 8 | 7 |
| Energy consumption annual (kWh/annum) | 561 | 224 | 236 | 499 |
| Condensation efficiency class | В | В | В | В |
| Condensation efficiency for standard cotton programme on full and partial load | 88% | 83% | 81% | 88% |
| Ambient temperature range | 5-35℃ | 5-35°C | 5-35℃ | 5-35℃ |
| Noise level (dB(A) re 1pW) | 65 | 64 | 65 | 65 |
| Dimensions of the product (inc. door) (cm) | 842 x 598 x 599 (652) | 842 x 598 x 599 (652) | 842 x 598 x 599 (652) | 842 x 598 x 599 (652) |
| Door opening angle | 175° | 175° | 170° | 175° |
| Door hinge position | Right-hand | Right-hand | Right-hand | Right-hand |
| Plumbing out possible? | Yes | Yes | Yes | Yes |
| Draining kit included? | Yes | Yes | Yes | Yes |

Introducing the Bosch dishwasher range.


All our freestanding dishwashers offer a range of advanced technologies, such as Home Connect now as standard and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher, we have divided them into the four ranges below.











Our Serie 8 range combines cutting-edge design and advanced technology, including Home Connect. The PerfectDry function absorbs moisture before releasing it as hot air for energy-efficient drying. Exceptionally quiet, offering additional storage and flexible loading solutions with Max Flex Pro baskets, our Serie 8 dishwasher is a perfect solution for busy households.

Serie 6

Our Serie 6 range comes packed with technology, from energy and watersaving saving modes to quick washes for when time is at a premium. They also feature our clever **PerfectDry** technology and handy features such as Max Flex baskets, Extra Space 3rd Basket, Extra Clean Zone and EfficientDry.

Serie 4


Our Serie 4 models offer great value for money but do not compromise on Bosch build quality. They combine excellent washing results and multiple programmes for different loads. In addition offer Max Flex baskets with foldable racks in the lower basket.

Serie 2

Our Serie 2 dishwashers offer you the classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money. Now all Bosch dishwashers come with Home Connect as standard.



Model shown: SMS6ZDW48G



The dish dryer among dishwashers.

A clever function that dries everything to perfection. And we do mean everything plates, pans, glasses and all plastic items. Everything will be completely clean and perfectly dry, so you'll never have to pick up a tea towel to finish the job again.

The technology behind **PerfectDry** unique to Bosch, is called **Zeolith®**. It is a process applied to every cycle that uses naturally occurring minerals, that heat up when they come into contact with water. Clever Zeolith® beads transform humidity into warm air that

speeds up the drying process. The warm air is then distributed evenly over the load.

So when you need a wash with brilliant drying results, it's time to choose Bosch.



Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.

EfficientDry

Automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



A dishwasher for every kitchen.

All our freestanding dishwashers have Home Connect for the ultimate level of control via voice, wearable and device. Making it easier to adjust settings to suit your needs from water hardness to time delay.







Compact

Different types of control.

Serie 8

TFT Display with top edge touch control



LED Display with with top edge button control



LED Display with with touch control



LED Display with button control

Serie 2

LED Display with toggle control

| | · | | |
|----------------|--|--|--|
| PROGRAMME NAME | ITEMS SUITABLE FOR PROGRAMME | TYPE OF SOILING | ADDITIONAL OPERATIONAL OPTIONS |
| Economy 50°C | Mixed utensils & cutlery | Part dried, common household food remnants | All |
| Intensive 70°C | Pots, pans, non-sensitive utensils & cutlery | Very stubborn burned or dried-on food remains containing starch or protein | All |
| Auto 45-65°C | Mixed utensils & cutlery | Part dried, common household food remnants | All |
| Glass 40°C | Sensitive utensils, cutlery, temperature-sensitive plastic & glass | Lightly adhering, fresh food remains | IntensiveZone, SpeedPerfect+, Half load, ExtraDry |
| Silence 50°C | Mixed utensils & cutlery | Part dried, common household food remnants. | IntensiveZone, Half load, Hygiene+, ExtraDry |
| Pre-rinse* | All types of dishes | Cold rinsing, intermediate cleaning. | None |
| Express 45°C* | Sensitive utensils, cutlery, temperature-sensitive plastic & glass | Lightly adhering, fresh food remains | ExtraDry |
| Express 65°C | Mixed utensils & cutlery | Part dried, common household food remnants. | ExtraDry |
| Express 60°C | Mixed utensils & cutlery | Part dried, common household food remnants | All |
| Machine Care | Run when empty | Thoroughly cleans your machine - use in combination with a standard machine care detergent | None |
| Favourite | Available on all dishwashers | Allows you to assign programme and option combinations to the Favourite programme via the Home Connect App | Pre-set favourite programme is pre-rinse |

Where every pot has its place.

Choose the right basket flexibility options for your dishwashing needs.



















Flex. Grey plastic fascias. Top rack flexible areas: 2 Bottom basket flexible areas: 2



Extra Space 3rd basket. New top basket providing more loading

space for small kitchen items. With sliding elements and a removable knife inlay, the Extra Space 3rd basket offers more space than ever.



ExtraClean Zone.

Extra thorough cleaning for heavily soiled items in the upper basket. This intensive zone doesn't need higher temperatures, it uses 3 jets to clean those stubborn items. So no more pre-soaking before going into the dishwasher!



Glassware support with smooth gliding baskets.

New anti-slip elements and stemware support within the upper basket will give extra protection to all glassware. Baskets will glide effortlessly along the internal brackets, thanks to our new pull out systems.

Dishwashers functions explained

Whisper quiet washing.

the revolutionary **EcoSilence Drive**™ there are dishwashers in the range which operate as low as 40 decibels, when the Silence programme is selected.

Your dishwasher will help look after itself with this smart

10 year anti-rust warranty.

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through

Bosch dishwashers are amongst the quietest in the world. With

Machine care.

function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It eliminates lime and grease deposits inside the dishwasher and works with a standard machine-care detergent. On selected Serie 8 and Serie 6 models, it will even remind you to run the programme every 30 cycles.

of the dishwasher's inner cavity.





ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.



SpeedPerfect+

Our SpeedPerfect+ option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but the duration of the cycle* is reduced by up to 50% - ideal for busy households and entertaining. *Except: Prewash, 1 hour and Quick 45° programme



Home Connect

To stay at their best, different dishes and glassware need to be washed in different ways. With the Bosch Home Connect app, simply tell your dishwasher what's in the load and it'll work out the perfect programme.



PerfectDrv

PerfectDry uses Zeolith technology that's applied to every cycle which uses minerals that heat up when they come in contact with water. This clever function dries everything to perfection from plates and pans to all plastic items.



EfficientDry automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



Place Settings

A selection of our dishwashers will hold up to 14 place settings in one load - perfect for larger households.



Self-cleaning filters

Self-cleaning filter system, with spray arms designed to direct water at the filters on every rotation.

Please note, self-cleaning filters are designed to keep filters clear during the washing cycle. Regular filter cleaning and maintenance is still recommended



Get the most out of your detergent with DosageAssist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.



DuoPower

Our 45cm models feature a twin spray arm in the top basket to ensure perfect water coverage every time.



Save water with every load and only use the right amount of water needed for each load.

Silence on demand

Up to 30 min noise reduction at any time via the Home Connect App.

Speed on demand

Have your load ready even quicker at any time via the Home Connect App.



60cm dishwashers

Serie 8

SMS8YCI01E



amazon alexa

Use your voice to start your dishwasher or even find out how long before your dishes are ready.



Tablet top-up

Smart reordering of dishwasher tablets can be used via the Amazon Alexa app To use smart reorder via the Alexa app, start by enabling the **Home Connect** dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.





Home Connect is a service offered by Home Connect GmbH For more information on Home Connect please visit www.bosch-home.co.uk

| DISHWASHER TYPE | 60CM DISHWASHER |
|--|---|
| DESIGN FAMILY | SERIE 8 |
| MODEL | SMS8YCI01E |
| Colour | Silver Inox |
| DESIGN FEATURES | |
| Drying system | PerfectDry Zeolith / EfficientDry |
| Home Connect WiFi connectivity | • |
| Control panel type | Top edge touch control + TFT |
| Basket description | MaxFlex Pro |
| VarioDrawer / Extra Space 3rd Basket (3rd loading level) | VarioDrawer |
| Extra Clean Zone | • |
| Glass care technology | • |
| Anti-slip protection and stemware support upper basket | • |
| Adjustable upper basket | 3-stage Rackmatic™ |
| Number of flip tines in upper / lower basket | 6/8 |
| Cup shelves upper / lower baskets | 2/2 |
| Cutlery holder lower basket | - |
| Largest loadable dish upper / lower basket (cm) | 21/31 |
| Load / Aqua sensor | • |
| Real-time clock | • |
| Start delay time max hours | 24 |
| Time remaining indicator | • |
| Emotion light (interior lighting) | • |
| End of cycle indicator | Acoustic |
| Salt / Rinse aid light indicator | •/• |
| Self cleaning filter system | • |
| Flood protection system | AquaStop 24h |
| Safety features | Door lock |
| PROGRAMMES / FUNCTIONS | |
| List of programmes | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 60°C, Express 45°C, Glass 40°C, Silence 50°C, Favourite, Machine Care |

| Additional special options | Remote Start, Extra Dry, Intensive Zone, Hygiene+, SpeedPerfect+ |
|---|---|
| TECHNICAL SPECIFICATIONS | |
| Reference programme for measurements | Eco 50°C |
| Energy efficiency class ¹ | A B |
| Energy ² / water ³ (kWh / litres) | 65 / 9.5 |
| Load capacity (place settings) | 14 |
| Programme duration ⁴ (h:min) | 3:55 |
| Noise level (dB(A) re 1 pW) | 43 |
| Noise efficiency class | В |
| Noise level (silence programme) (dB(A) re 1 pW) | 41 |
| Maximum height adjustability feet (cm) | 2 |
| Depth with open door 90 degree (cm) | 115.5 |
| Length of electrical supply cord (cm) | 175 |
| Length inlet / outlet hose (cm) | 165 / 190 |
| Height of the product with removable top (cm) | 84.5 |
| Height of the product without removable top (cm) | 81.5 |
| Width / Depth of the product (cm) | 60/60 |
| Net weight / Gross weight (kg) | 56/58 |
| Water softener ⁵ | • |
| Maximum accepted water hardness (°DH) | 50 |
| Maximum temperature for water intake (°C) | 60 |
| Interior cavity | Stainless steel |
| Included accessories | - |
| • = Yes - = No | |
| 10n an anarmy officianay alacs scale from A to C | |

¹On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than $1.1\,\mathrm{mmo/litre}$ ($7.0^\circ\mathrm{e}$) and the water softener in the appliance is turned off. Please contact product advice for further information

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint. Data valid in this table as of April 2021. Subject to modification without prior notice

60cm dishwashers









| DISHWASHER TYPE | | | 60CM DISHWASHERS | | |
|--|--|---|---|---|---|
| DESIGN FAMILY | SERIE 6 | SERIE 6 | SERIE 6 | SERIE 6 | SERIE 6 |
| MODEL | SMS6ZDW48G | SMS6EDI02G | SMS6EDW02G | SMS6ZCI00G | SMS6ZCW00G |
| Colour | White | Silver Inox | White | Silver Inox | White |
| DESIGN FEATURES | | | | | |
| Drying system | PerfectDry Zeolith | Heat exchanger / EfficientDry | Heat exchanger / EfficientDry | PerfectDry Zeolith | PerfectDry Zeolith |
| Home Connect WiFi connectivity | • | • | • | • | • |
| Control panel type | Front touch control + LED | Top edge button control + LED | Top edge button control + LED | Front button control + LED | Front button control + LED |
| Basket description | Max Flex | Max Flex | Max Flex | Flex | Flex |
| VarioDrawer / Extra Space 3rd Basket (3rd loading level) | Extra Space 3rd Basket | Extra Space 3rd Basket | Extra Space 3rd Basket | VarioDrawer | VarioDrawer |
| Extra Clean Zone | • | • | • | - | • |
| Glass care technology | • | • | • | • | • |
| Anti-slip protection and stemware support upper basket | • | • | • | - | • |
| Adjustable upper basket | 2-stage Rackmatic™ | 2-stage Rackmatic™ | 2-stage Rackmatic™ | 3-stage Rackmatic™ | 3-stage Rackmatic™ |
| Number of flip tines in upper / lower basket | 2/6 | 2/6 | 2/6 | 2/2 | 2/2 |
| Cup shelves upper / lower baskets | 2/2 | 2/2 | 2/2 | 2/2 | 2/2 |
| Cutlery holder lower basket | • | • | • | - | - |
| Largest loadable dish upper / lower basket (cm) | 21/28 | 21/28 | 21 / 28 | 21/31 | 21/31 |
| Load / Aqua sensor | • | • | • | • | • |
| Real-time clock | | • | - | - | |
| Start delay time max hours | 24 | 24 | 24 | 24 | 24 |
| Time remaining indicator | • | • | • | • | • |
| Emotion light (interior lighting) | • | | | • | • |
| End of cycle indicator | - | Acoustic | Acoustic | | - |
| Salt / Rinse aid light indicator | •/• | •/• | •/• | •/• | •/• |
| Self cleaning filter system | • AquaStop 24h | • Internal | • Internal | • Internal | ● Internal |
| Flood protection system | Control panel lock, door lock | Door lock | Door lock | | Control panel lock, door lock |
| Safety features | Control panel lock, door lock | Door lock | Door lock | Control panel lock, door lock | Control paner lock, door lock |
| PROGRAMMES / FUNCTIONS | | | | | |
| List of programmes | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care |
| Additional special options | Remote Start, Extra Dry, Intensive Zone, SpeedPerfect+ | Remote Start, EfficientDry, Half Load, SpeedPerfect+ | Remote Start, EfficientDry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect+ |
| TECHNICAL SPECIFICATIONS | | | | | |
| Reference programme for measurements | Eco 50°C | Eco 50°C | Eco 50°C | Eco 50°C | Eco 50°C |
| Energy efficiency class ¹ | A C | â C | Å C | A C | å C |
| Energy ² / water ³ (kWh / litres) | 74/9.5 | 74/9.5 | 74/9.5 | 75/9.5 | 75 / 9.5 |
| Load capacity (place settings) | 13 | 13 | 13 | 14 | 14 |
| Programme duration ⁴ (h:min) | 3:55 | 4:35 | 4:35 | 3:55 | 3:55 |
| Noise level (dB(A) re 1 pW) | 42 | 46 | 46 | 44 | 44 |
| Noise efficiency class | В | С | С | В | В |
| Noise level (silence programme) (dB(A) re 1 pW) | 40 | 43 | 43 | 42 | 42 |
| Maximum height adjustability feet (cm) | 2 | 2 | 2 | 2 | 2 |
| Depth with open door 90 degree (cm) | 115.5 | 115.5 | 115.5 | 115.5 | 115.5 |
| Length of electrical supply cord (cm) | 175 | 175 | 175 | 175 | 175 |
| Length inlet / outlet hose (cm) | 165/190 | 150 / 190 | 165 / 190 | 165 / 190 | 165/190 |
| Height of the product with removable top (cm) | 84.5 | 84.5 | 84.5 | 84.5 | 84.5 |
| Height of the product without removable top (cm) | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 |
| Width / Depth of the product (cm) | 60 / 60 | 60 / 60 | 60/60 | 60/60 | 60/60 |
| Net weight / Gross weight (kg) | 55 / 58 | 43 / 45 | 43 / 45 | 35 / 38 | 35 / 38 |
| Water softener ^s | • | • | • | • | • |
| Maximum accepted water hardness (°DH) | 50 | 50 | 50 | 50 | 50 |
| Maximum temperature for water intake (°C) | 60 | 60 | 60 | 60 | 60 |
| Interior cavity | Stainless steel | Stainless steel | Stainless steel | Stainless steel | Stainless steel |
| Included accessories | Large item spray head | Large item spray head | Large item spray head | Large item spray head | Large item spray head |



[&]quot;We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to % screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.













| DISHWASHER TYPE | | | 60CM DISHWASHERS | | |
|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| DESIGN FAMILY | SERIE 4 |
| MODEL | SMS4HDW52G | SMS4HCI40G | SMS4HCW40G | SMS4HAI40G | SMS4HAW40G |
| Colour | White | Silver Inox | White | Silver Inox | White |
| DESIGN FEATURES | | | | | |
| Drying system | Heat exchanger |
| Home Connect WiFi connectivity | • | • | • | • | • |
| Control panel type | Front button control + LED |
| Basket description | Max Flex | Flex | Flex | Flex | Flex |
| VarioDrawer / Extra Space 3rd Basket (3rd loading level) | Extra Space 3rd Basket | VarioDrawer | VarioDrawer | - | - |
| Extra Clean Zone | • | - | - | - | - |
| Glass care technology | • | • | • | • | • |
| Anti-slip protection and stemware support upper basket | • | - | - | - | |
| Adjustable upper basket | 2-stage Rackmatic™ | 3-stage Rackmatic™ | 3-stage Rackmatic™ | 3-stage Rackmatic™ | 3-stage Rackmatic™ |
| Number of flip tines in upper / lower basket | 2/6 | 2/2 | 2/2 | 2/2 | 2/2 |
| Cup shelves upper / lower baskets | 2/2 | 2/2 | 2/2 | 2/- | 2/- |
| Cutlery holder lower basket | • | - | - | • | • |
| Largest loadable dish upper / lower basket (cm) | 21/28 | 21/31 | 21/31 | 27/31 | 27/31 |
| Load / Aqua sensor | • | • | • | I | 1 |
| Real-time clock | - | - | - | - | - |
| Start delay time max hours | 24 | 24 | 24 | 24 | 24 |
| Time remaining indicator | • | • | • | • | • |
| Emotion light (interior lighting) | - | - | - | - | |
| End of cycle indicator | - | - | - | - | - |
| Salt / Rinse aid light indicator | •/• | •/• | •/• | •/• | •/• |
| Self cleaning filter system | • | • | • | • | • |
| Flood protection system | Internal | Internal | Internal | Internal | Internal |
| Safety features | Control panel lock, door lock |

| List of programmes | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care |
|---|---|---|---|---|---|
| Additional special options | Remote Start, Extra Dry, Half Load, SpeedPerfect+ |
| TECHNICAL SPECIFICATIONS | | | | | |
| Reference programme for measurements | Eco 50°C |
| Energy efficiency class ¹ | A D | t D | â D | Î D | A D |
| Energy ² / water ³ (kWh / litres) | 84/9.5 | 85 / 9.5 | 85 / 9.5 | 84 / 9.5 | 84 / 9.5 |
| Load capacity (place settings) | 13 | 14 | 14 | 13 | 13 |
| Programme duration4 (h:min) | 4:55 | 4:55 | 4:55 | 4:55 | 4:55 |
| Noise level (dB(A) re 1 pW) | 44 | 46 | 46 | 46 | 46 |
| Noise efficiency class | В | С | С | С | С |
| Noise level (silence programme) (dB(A) re 1 pW) | 41 | 43 | 43 | 43 | 43 |
| Maximum height adjustability feet (cm) | 2 | 2 | 2 | 2 | 2 |
| Depth with open door 90 degree (cm) | 115.5 | 115.5 | 115.5 | 115.5 | 115.5 |
| Length of electrical supply cord (cm) | 175 | 175 | 175 | 175 | 175 |
| Length inlet / outlet hose (cm) | 165 / 190 | 165 / 190 | 165 / 190 | 165 / 190 | 165/190 |
| Height of the product with removable top (cm) | 84.5 | 84.5 | 84.5 | 84.5 | 84.5 |
| Height of the product without removable top (cm) | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 |
| Width / Depth of the product (cm) | 60 / 60 | 60 / 60 | 60/60 | 60 / 60 | 60/60 |
| Net weight / Gross weight (kg) | 43 / 45 | 35 / 38 | 50/53 | 56/58 | 56/58 |
| Water softener ^s | • | • | • | • | • |
| Maximum accepted water hardness (°DH) | 50 | 50 | 50 | 50 | 50 |
| Maximum temperature for water intake (°C) | 60 | 60 | 60 | 60 | 60 |
| Interior cavity | Stainless steel |
| Included accessories | Large item spray head |

¹On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

^{*}On an energy-efficiency class scale from A to G
*Energy consumption in kWh/100 operating cycles (using Eco programme)
*Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

^aWe would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to % screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

60cm dishwashers



| DISHWASHER TYPE | 60CM DISHWASHERS | | | | | |
|--|--|---|--|--|--|--|
| DESIGN FAMILY | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 |
| MODEL | SMS2HKI66G | SMS2HKW66G | SMS2HVI66G | SMS2HVW66G | SMS2ITI41G | SMS2ITW41G |
| Colour | Silver Inox | White | Silver Inox | White | Silver Inox | White |
| DESIGN FEATURES | | | | | | |
| Drying system | Heat exchanger | Heat exchanger | Heat exchanger | Heat exchanger | Inherent heat | Inherent heat |
| Home Connect WiFi connectivity | • | • | • | • | • | • |
| Control panel type | Front toggle control + LED | Front toggle control + LED | Front toggle control + LED | Front toggle control + LED | Front toggle control + LED | Front toggle control + LED |
| Basket description | Vario | Vario | Vario | Vario | Vario | Vario |
| VarioDrawer / Extra Space 3rd Basket (3rd loading level) | | - | VarioDrawer | VarioDrawer | | |
| Extra Clean Zone | - | - | | | | |
| Glass care technology | • | • | • | • | • | • |
| Anti-slip protection and stemware support upper basket | - | - | | | - | - |
| Adjustable upper basket | Adjustable when empty | Adjustable when empty | 3-stage Rackmatic™ | 3-stage Rackmatic™ | Adjustable when empty | Adjustable when empty |
| Number of flip tines in upper / lower basket | -/2 | -/2 | -/2 | -/2 | -/2 | -/2 |
| Cup shelves upper / lower baskets | -/- | -/- | 2/- | 2/- | -/- | -/- |
| Cutlery holder lower basket | • | • | - | - | • | • |
| Largest loadable dish upper / lower basket (cm) | 27/31 | 27 / 31 | 21/31 | 21/31 | 27/31 | 27/31 |
| Load / Aqua sensor | • | • | • | • | • | • |
| Real-time clock | | | | | - | - |
| Start delay time max hours | 24 | 24 | 24 | 24 | 24 | 24 |
| Time remaining indicator | • | • | • | • | • | • |
| Emotion light (interior lighting) | | - | | | | |
| End of cycle indicator | - | - | | | | - |
| Salt / Rinse aid light indicator | •/• | •/• | •/• | •/• | •/• | •/• |
| Self cleaning filter system | • | • | • | • | • | • |
| Flood protection system | Internal | Internal | Internal | Internal | Internal | Internal |
| Safety features | Control panel lock, door lock | Control panel lock, door lock | Control panel lock, door lock | Control panel lock, door lock | Control panel lock, door lock | Control panel lock, door lock |
| | | | | | | |
| PROGRAMMES / FUNCTIONS | | | | | | |
| List of programmes | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C Favourite, Machine Care |
| Additional special options | Remote Start, Extra Dry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect+ | Remote Start, Extra Dry, Half Load, SpeedPerfect | Remote Start, Extra Dry, Half Load, SpeedPerfect |
| TECHNICAL SPECIFICATIONS | | | | | | |
| Reference programme for measurements | Eco 50°C | Eco 50°C | Eco 50°C | Eco 50°C | Eco 50°C | Eco 50°C |
| Energy efficiency class ¹ | D | A D | A E | A E | A E | A E |
| Energy ² / water ³ (kWh / litres) | 82 / 9.5 | 82/9.5 | 94/9.5 | 94 / 9.5 | 92 / 10.5 | 92/10.5 |
| Load capacity (place settings) | 12 | 12 | 13 | 13 | 12 | 12 |
| Programme duration ⁴ (h:min) | 4:55 | 4:55 | 3:45 | 3:45 | 4:30 | 4:30 |
| Noise level (dB(A) re 1 pW) | 48 | 48 | 48 | 48 | 48 | 48 |
| Noise efficiency class | С | С | С | С | С | C |
| Noise level (silence programme) (dB(A) re 1 pW) | 46 | 46 | 46 | 46 | - | - |
| Maximum height adjustability feet (cm) | 2 | 2 | 2 | 2 | 2 | 2 |
| Depth with open door 90 degree (cm) | 115.5 | 115.5 | 115.5 | 115.5 | 115.5 | 115.5 |
| Length of electrical supply cord (cm) | 175 | 175 | 175 | 175 | 175 | 175 |
| Length inlet / outlet hose (cm) | 150/190 | 165/190 | 165 / 190 | 165 / 190 | 165/190 | 165/190 |
| Height of the product with removable top (cm) | 84.5 | 84.5 | 84.5 | 84.5 | 84.5 | 84.5 |
| Height of the product without removable top (cm) | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 |
| Width / Depth of the product (cm) | 60/60 | 60 / 60 | 60/60 | 60/60 | 60 / 60 | 60/60 |
| Net weight / Gross weight (kg) | 57/58 | 49 / 50 | 51/53 | 51/52 | 45 / 47 | 48/49 |
| Water softener ⁵ | • | 43/30 | • | • | • | • |
| Maximum accepted water hardness (°DH) | 50 | 50 | 50 | 50 | 50 | 50 |
| Maximum temperature for water intake (°C) | 60 | 60 | 60 | 60 | 60 | 60 |
| Interior cavity | Stainless steel | Stainless steel | Stainless steel / Polinox base | Stainless steel / Polinox base | Stainless steel / Polinox base | Stainless steel / Polinox base |
| Included accessories | Large item spray head | Large item spray head | Large item spray head | Large item spray head | Large item spray head | Large item spray head |
| morado a docessorios | Luigo itom spray ricau | Large item spray ricau | Eurge item spray neau | Luige item spray neau | Eurge item spray neau | curso itom spray ricau |

Explore more at **bosch-home.co.uk / bosch-home.ie**

Slimline dishwashers





Large item spray head



| DISHWASHER TYPE | | 45CM DISHWASHERS | | |
|---|---|---|---|--|
| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | |
| MODEL | SPS4HMW53G | SPS4HKI45G | SPS4HKW45G | |
| Colour | White | Silver inox | White | |
| DESIGN FEATURES | | | | |
| Drying system | Heat exchanger | Heat exchanger | Heat exchanger | |
| Home Connect WiFi connectivity | • | • | • | |
| Control panel type | Front button control + LED | Front button control + LED | Front button control + LED | |
| Basket description | VarioFlex | VarioFlex | VarioFlex | |
| /arioDrawer / Extra Space 3rd Basket (3rd loading level) | VarioDrawer | · | - | |
| Extra Clean Zone | valioDi awei | | | |
| Glass care technology | • | • | • | |
| • | • | | <u> </u> | |
| Anti-slip protection and stemware support upper basket | | | - | |
| Adjustable upper basket | 3-stage Rackmatic™ | 3-stage Rackmatic™ | 3-stage Rackmatic™ | |
| Number of flip tines in upper / lower basket | 2/2 | 2/2 | 2/2 | |
| Cup shelves upper / lower baskets | 1/1 | 2/1 | 2/1 | |
| Cutlery holder lower basket | * | • | • | |
| argest loadable dish upper / lower basket (cm) | 21/31 | 27 / 31 | 27 / 31 | |
| oad / Aqua sensor | • | • | • | |
| Real-time clock | • | - | - | |
| Start delay time max hours | 24 | 24 | 24 | |
| Time remaining indicator | • | • | • | |
| Emotion light (interior lighting) | | - | | |
| End of cycle indicator | | - | - | |
| Salt / Rinse aid light indicator | •/• | •/• | •/• | |
| Self cleaning filter system | • | • | • | |
| Flood protection system | Internal | Internal | Internal | |
| Safety features | Control panel lock, door lock | Control panel lock, door lock | Control panel lock, door lock | |
| | control parterious, acor rook | Control parterious, debitions | control paner roat, acor root | |
| PROGRAMMES / FUNCTIONS | | | | |
| ist of programmes | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Favourite, Machine Care | |
| Additional special options | Remote Start, Extra Dry, Intensive Zone SpeedPerfect+ | Remote Start, Extra Dry, Intensive Zone SpeedPerfect+ | Remote Start, Extra Dry, Intensive Zone SpeedPerfect+ | |
| TECHNICAL SPECIFICATIONS | | | | |
| Reference programme for measurements | Eco 50°C | Eco 50°C | Eco 50°C | |
| Energy efficiency class ¹ | A E | A E | A E | |
| - | | | | |
| Energy ² / water ³ (kWh / litres) | 76/9.5 | 70/8.5 | 70/8.5 | |
| oad capacity (place settings) | 10 | 9 | 9 | |
| Programme duration4 (h:min) | 3:40 | 3:40 | 3:40 | |
| Noise level (dB(A) re 1 pW) | 45 | 46 | 46 | |
| Noise efficiency class | С | С | С | |
| Noise level (silence programme) (dB(A) re 1 pW) | 42 | 43 | 43 | |
| Maximum height adjustability feet (cm) | 2 | 2 | 2 | |
| | 115.5 | 115.5 | 115.5 | |
| Depth with open door 90 degree (cm) | | 175 | 175 | |
| | 175 | 1.0 | | |
| Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) | 175 165 / 205 | 165 / 205 | 165 / 205 | |
| ength of electrical supply cord (cm) | | | 165 / 205 84.5 | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) | 165 / 205 | 165 / 205 | | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) leight of the product with removable top (cm) leight of the product without removable top (cm) | 165 / 205 84.5 81.5 | 165 / 205 84.5 81.5 | 84.5 81.5 | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) leight of the product with removable top (cm) leight of the product without removable top (cm) Width / Depth of the product (cm) | 165 / 205 84.5 81.5 45 / 60 | 165 / 205 84.5 81.5 45 / 60 | 84.5 81.5 45/60 | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) leight of the product with removable top (cm) leight of the product without removable top (cm) Width / Depth of the product (cm) Wet weight / Gross weight (kg) | 165/205 84.5 81.5 45/60 41/42 | 165/205 84.5 81.5 45/60 42/44 | 84.5 81.5 45/60 39/40 | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) eleight of the product with removable top (cm) eleight of the product without removable top (cm) Width / Depth of the product (cm) Net weight / Gross weight (kg) Nater softener ⁶ | 165/205 84.5 81.5 45/60 41/42 | 165 / 205 84.5 81.5 45 / 60 42 / 44 | 84.5 81.5 45/60 39/40 | |
| ength of electrical supply cord (cm) ength inlet / outlet hose (cm) leight of the product with removable top (cm) leight of the product without removable top (cm) | 165/205 84.5 81.5 45/60 41/42 | 165/205 84.5 81.5 45/60 42/44 | 84.5 81.5 45/60 39/40 | |

Included accessories

Large item spray head

Large item spray head

¹On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme) ⁴Duration of Eco programme

New owold recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to % screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

 $^{^{\}rm 1}\!$ On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme)
³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

^{*}We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Compact dishwasher



| DISHWASHER TYPE | COMPACT DISHWASHER | | |
|---|--|--|--|
| DESIGN FAMILY | SERIE 4 | | |
| MODEL | SKS62E32EU | | |
| Colour | White | | |
| DESIGN FEATURES | | | |
| Drying system | Inherent heat | | |
| Home Connect WiFi connectivity | - | | |
| Control panel type | Front dial control + LED | | |
| Basket description | Vario | | |
| VarioDrawer / Extra Space 3rd Basket (3rd loading level) | | | |
| Extra Clean Zone | - | | |
| Glass care technology | - | | |
| Anti-slip protection and stemware support upper basket | - | | |
| Adjustable upper basket | - | | |
| Number of flip tines in upper / lower basket | | | |
| Cup shelves upper / lower baskets | -/2 | | |
| Cutlery holder lower basket | - | | |
| Largest loadable dish upper / lower basket (cm) | 28 | | |
| Load / Aqua sensor | • | | |
| Real-time clock | - | | |
| Start delay time max hours | 24 | | |
| Time remaining indicator | • | | |
| Emotion light (interior lighting) | * | | |
| End of cycle indicator | * | | |
| Salt / Rinse aid light indicator | •/• | | |
| Self cleaning filter system | • | | |
| Flood protection system | AquaStop 24hr | | |
| Safety features | Door lock | | |
| List of programmes | Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick 45°C, Glass 40°C, Pre-Rinse | | |
| Additional special options | Extra Dry, SpeedPerfect | | |
| TECHNICAL SPECIFICATIONS | | | |
| Reference programme for measurements | Eco 50°C | | |
| | | | |
| Energy efficiency class ¹ | A F | | |
| Energy ² / water ³ (kWh / litres) | 61/8 | | |
| Load capacity (place settings) | 6 | | |
| Programme duration ⁴ (h:min) | 3:55 | | |
| Noise level (dB(A) re 1 pW) | 49 | | |
| Noise efficiency class | С | | |
| Noise level (silence programme) (dB(A) re 1 pW) | • | | |
| Maximum height adjustability feet (cm) | | | |
| Depth with open door 90 degree (cm) | 84.5 | | |
| Length of electrical supply cord (cm) | 175 | | |
| Length inlet / outlet hose (cm) | 165/215 | | |
| Height of the product with removable top (cm) | 45.0 | | |
| Height of the product without removable top (cm) | Top not removable | | |
| Width / Depth of the product (cm) | 55/50 | | |
| Net weight / Gross weight (kg) Water softener ^s | 22/24 | | |
| | • 50 | | |
| Maximum accepted water hardness (°DH) | 60 | | |
| Maximum temperature for water intake (°C) Interior cavity | Stainless steel / Polinox | | |
| Included accessories | - | | |
| ● = Yes - = No | | | |
| On an energy-efficiency class scale from A to G | | | |

On an energy-efficiency class scale from A to G

Explore more at bosch-home.co.uk / bosch-home.ie

Introducing the Bosch refrigeration range.



NoFrost

Model shown: KGN39HIEP

Save more, waste less. Our range of freestanding fridge freezers are packed with innovative technology to keep your food fresh for longer, so you'll throw out less and save on your weekly shopping bill.

To help you choose the right appliance, we have divided them into the four ranges below.

Serie 8

Cutting-edge design meets advanced technologies. All models in our **Serie 8** range are packed with features that save valuable time, effort and money – perfect for modern, busy households.

Serie 6

Our **Serie 6** range of appliances combines efficient performance with convenient storage and superior food preservation.

Serie 4

All models in our **Serie 4** range combine practical features with Bosch build quality.

Serie 2

Built for optimal food storage, the **Serie 2** refrigeration range is just as practical as it is value for money.

² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme


[®]We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Data valid in this table as of April 2021. Subject to modification without prior notice.

Selecting the right fridge freezer for you.

Height, width and fridge freezer split.

Our fridge freezer options are tailored to suit every family household's needs, so you can choose your appliance to ensure this. For those who shop little and often, try a smaller capacity fridge and freezer which doesn't impact on space. If you have a busy household and do a full weekly shop, a spacious 70/30 fridge freezer would be ideal.



Refrigeration functions explained.

(Check model for available functions)



Home Connect

Thanks to Home Connect, you can now check the contents of your fridge at any given time and place. Interior door cameras take pictures every time the door is closed, and conveniently send them to your mobile device.



NoFrost

Never defrost again, thanks to perfect protection from ice formation - that saves time and effort.



Defrost less often thanks to lower ice formation – saves work and energy.



An extra-deep frozen food drawer for the practical stacking of frozen foods, containers or large frozen items like gateaux or pizzas



Transparent drawer with wave bottom, ideal for the storage of fruits and vegetables.



Safety Glass

Strong glass shelves ensure heavier items can be stored



Activating the SuperCooling function before you go shopping lowers the temperature for a short period, so your fresh shopping is kept at the right temperature.



SuperFreeze

The SuperFreeze function temporarily lowers the temperature in the freezer for when you have new shopping to load in, protecting both new and existing food.



MultiAirflow

The fan-assisted MultiAirflow System causes gentle, even currents of cold air to emerge at all levels of the chilling and freezing area. Temperature fluctuations are minimised and cooling times reduced.



The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.



Finger Print Free

Your appliance will stay finger print free and looking clean



XXL Fridge Freezers. Keep more, waste less.





Controlling your appliance.

Across the range of cooling appliances, there are different ways you can control the temperature inside your fridge and freezer. Below are the different variations:



Exterior LCD, digital control (touch control)



Exterior touch control (digital control)



Interior LED button control



Interior LED button (freezer only)

Whichever model you choose, you'll find lots of reasons to love your Bosch fridge freezer.

EasyAccess Shelf.

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.

Easy to Clean Magnetic Door Seals

The magnetic door seals on all of our refrigeration ranges are **removable**, making them easy to clean and/or replace when necessary.



Model shown: KGN39VWEAG



Fridge freezers

Serie 6

KGB86AIFP







| ТУРЕ | FRIDGE FREEZER |
|--|---|
| DESIGN FAMILY | SERIE 6 |
| MODEL | KGB86AIFP |
| Colour | Stainless steel look |
| DESIGN FEATURES | |
| Fridge / Freezer split | 70/30 |
| Frost-free system | NoFrost |
| Colour of side panels | Chrome inox metallic |
| Door handle type | Horizontal & Vertical bar |
| Temperature display | Exterior / Digital LCD |
| Reversible door, hinged on right | • |
| Latest Condenser Technology | • |
| Home Connect / Built in cameras | •/- |
| FOOD FRESHNESS SYSTEM | |
| | |
| Food preservation container | 2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers |
| KEY FEATURES - FRIDGE SECTION | |
| LED light | • |
| SuperCool function | • |
| Bottle rack | • |
| Number of glass safety shelves | 3 |
| Number of adjustable shelves | 2 |
| Number of door bins large / small | 1/5 |
| Dairy compartment | 2 |
| Number of egg racks | 3 |
| KEY FEATURES – FREEZER SECTION | |
| | |
| Number of freezer drawers including BigBox / EasyAccess | Pull out drawers |
| SuperFreeze function | • |
| Number of ice packs / ice cube trays | 2/2 |
| FUNCTIONS | |
| Door open warning signal / malfunction | • |
| Holiday / Sabbath mode | •/• |
| PERFORMANCE AND CONSUMPTION | |
| Energy efficiency class | F |
| Annual energy consumption ¹ (kWh) | 384 |
| Total unit net capacity (litres) | 631 |
| Refrigerator net capacity including 0°C drawers (litres) | 479 |
| Freezer net capacity (litres) | 152 |
| Climate Class ² | SN-T |
| Noise level (dB(A) re 1 pW) | 42 |
| Noise Emission Class | D D |
| Dimensions of the product (H x W x D) (cm) | 186 x 86 x 81 |
| FAN code | 4242005159956 |
| | 12 1200010000 |



• = yes - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located.

²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.



| DESIGN FAMILY | SERIE 6 | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
|--|---|---|--|--|--|
| MODEL | KGN86AIDP | KGN864IFA | KGN56XLEA | KGN49XLEA | KGN49XWEA |
| Colour | Stainless steel look | Stainless steel look | Stainless steel look | Stainless steel look | White |
| DESIGN FEATURES | | | | | |
| Fridge / Freezer split | 70/30 | 70/30 | 70/30 | 70/30 | 70/30 |
| Frost-free system | NoFrost | NoFrost | NoFrost | NoFrost | NoFrost |
| Colour of side panels | Chrome inox metallic | Chrome inox metallic | Chrome inox metallic | Chrome inox metallic | White |
| Door handle type | Vertical | Integrated | Integrated Vertical | Integrated Vertical | Integrated Vertical |
| Temperature display | Exterior / Digital LCD | Interior / Digital LCD | Exterior / Digital LED | Exterior / Digital LED | Exterior / Digital LED |
| Reversible door, hinged on right | • | • | • | • | • |
| Latest Condenser Technology | • | • | • | • | • |
| Home Connect / Built in cameras | •/- | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | | |
| Food preservation container | 2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers | 2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer |
| KEY FEATURES - FRIDGE SECTION | | | | | |
| LED light | • | • | • | • | • |
| SuperCool function | • | • | • | • | • |
| Bottle rack | • | • | • | - | • |
| Number of glass safety shelves | 3 | 3 | 4 | 5 | 5 |
| Number of adjustable shelves | 2 | 2 | 3 | 4 | 4 |
| Number of door bins large / small | 1/5 | 1/4 | 1/3 | 1/3 | 1/3 |
| Dairy compartment | 2 | - | - | - | - |
| Number of egg racks | 3 | 3 | 3 | 3 | 3 |
| KEY FEATURES - FREEZER SECTION | | | | | |
| Number of freezer drawers including BigBox / EasyAccess | 2 | 2 | 2 | 3 | 3 |
| SuperFreeze function | • | • | • | • | • |
| Number of ice packs / ice cube trays | 2/2 | 2/2 | 2/1 | -/1 | -/1 |
| FUNCTIONS | | | | | |
| Door open warning signal / malfunction | • | • | • | • | • |
| Holiday / Sabbath mode | •/• | •/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | | | | | |
| Energy efficiency class | D | F | AE | A E | A E |
| Annual energy consumption ¹ (kWh) | 546 | 384 | 262 | 259 | 259 |
| Total unit net capacity (litres) | 631 | 631 | 508 | 438 | 438 |
| Refrigerator net capacity including 0°C drawers (litres) | 479 | 479 | 400 | 330 | 330 |
| Freezer net capacity (litres) | 152 | 152 | 108 | 108 | 108 |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 40 | 42 | 42 | 40 | 40 |
| Noise Emission Class | C | D | D | C | C |
| Dimensions of the product (H x W x D) (cm) | 186 x 86 x 81 | 186 x 86 x 81 | 193 x 70 x 80 | 203 x 70 x 67 | 203 x 70 x 67 |
| EAN code | 4242005159956 | 4242005159956 | 4242005159956 | 4242005162963 | 4242005209934 |
| | .2.20010000 | 12 1200010000 | 12.12003100000 | 12 12000102000 | 12 12003200004 |

For full specification details, please log onto our website and download a full specification sheet.

Fridge freezers



| ТҮРЕ | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER |
|--|---|--|--|--|--|-------------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 2 |
| MODEL | KGN39HIEP | KGN39VLEAG | KGN39VWEAG | KGN36XLER | KGN36VLEAG | KGN34NLEAG |
| Colour | Stainless steel easy clean | Stainless steel look | White | Stainless steel look | Stainless steel look | Stainless steel look |
| DESIGN FEATURES | | | | | | |
| Fridge / Freezer split | 70/30 | 70 / 30 | 70/30 | 60 / 40 | 60 / 40 | 50/50 |
| Frost-free system | NoFrost | NoFrost | NoFrost | NoFrost | NoFrost | NoFrost |
| Colour of side panels | Chrome inox metallic | Chrome inox metallic | White | Chrome inox metallic | Chrome inox metallic | Chrome inox metallic |
| Door handle type | Vertical Bar | Integrated Vertical | Integrated Vertical | Vertical Bar | Integrated Vertical | Integrated Horizontal |
| Temperature display | Exterior / Digital LCD | Interior / Electronic LED | Interior / Electronic LED | Exterior / Digital LED | Interior / Electronic LED | Interior / Electronic LED |
| Reversible door, hinged on right | | • | • | • | • | • |
| Latest Condenser Technology | • | • | • | • | • | • |
| Home Connect / Built in cameras | •/• | -/- | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | · | · | | | | · |
| Food preservation container | 1 x VitaFresh Plus 0°C drawer, 1 x VitaFresh Plus vegetable drawer | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer | 1 x MultiBox vegetable drawer |
| VEVERATURES. EDIDOS SESTION | 1 x vitai resirrius vegetable urawei | 1 X Vital lesil vegetable di awei | 1 X VII.di Testi Vegetable ul awei | 1 X Vital Testi Vegetable ul awei | 1 X VII.di Testi Vegetable urawei | |
| KEY FEATURES - FRIDGE SECTION | | | | | | |
| LED light | • | • | • | • | • | • |
| SuperCool function | • | • | • | • | • | |
| Bottle rack | • | • | | • | • | ÷ |
| Number of glass safety shelves | 5 | 5 | 5 | 4 | 4 | 4 |
| Number of adjustable shelves | 3 | 3 | 3 | 2 | 2 | 2 |
| Number of door bins large / small | 1/2 | 1/3 | 1/3 | 1/2 | 1/2 | 1/2 |
| Dairy compartment | • | - | - | - | - | - |
| Number of egg racks | 3 | 3 | 3 | 3 | 3 | 3 |
| KEY FEATURES - FREEZER SECTION | | | | | | |
| Number of freezer drawers including BigBox / EasyAccess | 3 | 3 | 3 | 3 | 3 | 3 |
| SuperFreeze function | • | • | | | • | • |
| Number of ice packs / ice cube trays | 2/1 | -/1 | -/1 | -/1 | -/1 | -/1 |
| FUNCTIONS | | | | | | |
| Door open warning signal / malfunction | • | • | • | | • | |
| Holiday / Sabbath mode | •/• | -/- | -/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | | | | | | |
| Energy efficiency class | Att | A E | A E | A E | A E | A E |
| | | | | | | |
| Annual energy consumption ¹ (kWh) | 238 | 238 | 238 | 238 | 238 | 244 |
| Total unit net capacity (litres) | 368 | 368 | 368 | 326 | 326 | 300 |
| Refrigerator net capacity including 0°C drawers (litres) | 279 | 279 | 279 | 237 | 237 | 193 |
| Freezer net capacity (litres) | 89 | 89 | 89 | 89 | 29 | 107 |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 39 | 39 | 39 | 39 | 39 | 42 |
| Noise Emission Class | С | С | С | С | С | D |
| Dimensions of the product (H x W x D) (cm) | 204 x 60 x 66 | 203 x 60 x 66 | 203 x 60 x 66 | 186 x 60 x 66 | 186 x 60 x 66 | 186 x 60 x 66 |
| EAN code | 4242005171729 | 4242005232529 | 4242005105489 | 4242005208487 | 4242005105533 | 4242005183326 |

^{• -} voc - no

 $5\,year\,warranty - Promotion\,dates\,01.04.21 - 31.03.22.\,T\&C's\,apply.\,Online\,registration\,required.\,Selected\,models\,only.\,For\,full\,specification\,details,\,please\,log\,onto\,our\,website\,and\,download\,a\,full\,specification\,sheet.$



| DESIGN FAMILY | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 |
|---|-------------------------------|-------------------------------|-------------------------------|-------------------------------|----------------------|----------------------|
| MODEL | KGN34NWEAG | KGN36NWEAG | KGN33NLEAG | KGN33NWEAG | KGN27NLFAG | KGN27NWFAG |
| Colour | White | White | Stainless steel look | White | Stainless steel look | White |
| DESIGN FEATURES | | | | | | |
| ridge / Freezer split | 50 / 50 | 60 / 40 | 50/50 | 50/50 | 50/50 | 50 / 50 |
| rost-free system | NoFrost | NoFrost | NoFrost | NoFrost | NoFrost | NoFrost |
| Colour of side panels | White | White | Chrome inox metallic | White | Chrome inox metallic | White |
| Ooor handle type | Integrated Horizontal | Integrated Horizontal | Integrated Horizontal | Integrated Horizontal | Integrated Vertical | Integrated Vertical |
| emperature display | Interior / Electronic LED | | |
| leversible door, hinged on right | • | • | • | • | | |
| atest Condenser Technology | • | • | • | • | • | • |
| lome Connect / Built in cameras | -/- | -/- | -/- | -/- | -/- | -/- |
| OOD FRESHNESS SYSTEM | | | | | | |
| ood preservation container | 1 x MultiBox vegetable drawer | 1 x vegetable drawer | 1 x vegetable drawer |
| KEY FEATURES – FRIDGE SECTION | | | | | | |
| ED light | • | • | • | • | • | • |
| SuperCool function | - | | | | | |
| ottle rack | - | | | | | |
| umber of glass safety shelves | 4 | 4 | 3 | 3 | 2 | 2 |
| umber of adjustable shelves | 2 | 3 | 2 | 2 | - | - |
| umber of door bins large / small | 1/2 | 1/3 | 1/2 | 1/2 | 1/2 | 1/2 |
| airy compartment | | - | - 1/2 | - 1/2 | - 1/2 | |
| lumber of egg racks | 3 | 3 | 3 | 3 | 3 | 3 |
| (EY FEATURES – FREEZER SECTION | | | | | | |
| | | | | | | |
| umber of freezer drawers including BigBox / EasyAccess | 3 | 3 | 3 | 3 | 4 | 4 |
| uperFreeze function | • | -/- | -/- | • | - | |
| umber of ice packs / ice cube trays | -/1 | -/- | -/- | -/- | -/- | -/- |
| UNCTIONS | | | | | | |
| por open warning signal / malfunction | • | • | • | • | - | |
| oliday / Sabbath mode | -/- | -/- | -/- | -/- | -/- | -/- |
| ERFORMANCE AND CONSUMPTION | | | | | | |
| nergy efficiency class | AE | A E | A E | ATE I | A F | A F |
| nnual energy consumption ¹ (kWh) | 244 | 244 | 237 | 237 | | 287 |
| ital unit net capacity (litres) | 300 | 300 | 282 | 282 | 256 | 256 |
| efrigerator net capacity including 0°C drawers (litres) | 107 | 193 | 193 | 193 | 171 | 171 |
| eezer net capacity (litres) | 105 | 107 | 89 | 89 | 86 | 86 |
| limate Class ² | SN-T | SN-T | SN-T | SN-T | SN-T | SN-T |
| oise level (dB(A) re 1 pW) | 42 | 42 | 42 | 42 | 41 | 41 |
| oise Emission Class | D | D | D | D | D | D |
| | 400 00 00 | 186 x 60 x 66 | 176 x 60 x 66 | 176 x 60 x 66 | 102 55 50 | 183 x 55 x 56 |
| mensions of the product (H x W x D) (cm) | 186 x 60 x 66 | 100 X 00 X 00 | 1/0 X 00 X 00 | 1/0 X 00 X 00 | 183 x 55 x 56 | 103 X 33 X 30 |

^{• =} yes - = no

For full specification details, please log onto our website and download a full specification sheet.

al energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 45°C

Fridge freezers



| TYPE | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER |
|--|---|---|--------------------------------|--------------------------------|---|
| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL | KGE49AICAG | KGE49AWCAG | KGV39VLEAG | KGV39VWEAG | KGE36AWCA |
| Colour | Stainless steel easy clean | White | Stainless steel look | White | White |
| DESIGN FEATURES | | | | | |
| Fridge / Freezer split | 70/30 | 70/30 | 70/30 | 70/30 | 60/40 |
| Frost-free system | LowFrost | LowFrost | LowFrost | LowFrost | LowFrost |
| Colour of side panels | Chrome inox metallic | White | Chrome inox metallic | White | White |
| Door handle type | Integrated Vertical | Integrated Vertical | Integrated Vertical | Integrated Vertical | Integrated Vertical |
| Temperature display | Interior / Digital LED | Interior / Digital LED | Interior / Electronic LED | Interior / Electronic LED | Interior / Digital LED |
| Reversible door, hinged on right | • | • | • | • | • |
| Latest Condenser Technology | - | - | - | - | - |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | | |
| Food preservation container | 1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer | 1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer |
| KEY FEATURES – FRIDGE SECTION | | | | | |
| LED light | • | • | • | • | • |
| SuperCool function | • | • | - | - | • |
| Bottle rack | • | • | • | • | • |
| Number of glass safety shelves | 5 | 5 | 5 | 5 | 4 |
| Number of adjustable shelves | 2 | 2 | 2 | | 2 |
| Number of door bins large / small | 1/3 | 1/3 | 1/3 | 1/3 | 1/2 |
| Dairy compartment | - | - | - | - | - |
| Number of egg racks | 3 | 3 | 3 | 3 | 3 |
| KEY FEATURES - FREEZER SECTION | | | | | |
| Number of freezer drawers including BigBox / EasyAccess | 3 | 3 | 3 | 3 | 3 |
| SuperFreeze function | • | • | • | • | • |
| Number of ice packs / ice cube trays | 2/- | 2/- | -/- | -/- | 2/- |
| FUNCTIONS | | | | | |
| Door open warning signal / malfunction | | | | | |
| Holiday / Sabbath mode | •/- | •/- | -/- | -/- | •/- |
| PERFORMANCE AND CONSUMPTION | | | | | |
| Energy efficiency class | A C | A C | A E | A E | Å C |
| Annual energy consumption ¹ (kWh) | 163 | 163 | 238 | 238 | 149 |
| Total unit net capacity (litres) | 419 | 419 | 368 | 368 | 308 |
| Refrigerator net capacity including 0°C drawers (litres) | 302 | 302 | 279 | 279 | 214 |
| Refrigerator 0°C net capacity (litres) | 28 | 28 | | | 0 |
| Freezer net capacity (litres) | 117 | 117 | 89 | 89 | 94 |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 38 | 38 | 39 | 39 | 38 |
| Noise Emission Class | С | C | С | C | C |
| Dimensions of the product (H x W x D) (cm) | 201 x 70 x 65 | 201 x 70 x 65 | 201 x 60 x 65 | 201 x 60 x 65 | 186 x 60 x 65 |
| EMI I | 4040005040050 | 40.40005045005 | 4040005407000 | 4040005407740 | 40.40005400000 |



Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.



| ТҮРЕ | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER | FRIDGE FREEZER |
|--|--------------------------------|--------------------------------|---------------------------------------|--------------------------------|
| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL | KGV36VLEAG | KGV36VWEAG | KGV33VLEAG | KGV336WEAG |
| Colour | Stainless steel look | White | Stainless steel look | White |
| DESIGN FEATURES | | | | |
| Fridge / Freezer split | 60 / 40 | 60 / 40 | 50/50 | 50 / 50 |
| Frost-free system | LowFrost | LowFrost | LowFrost | LowFrost |
| Colour of side panels | Chrome inox metallic | Chrome inox metallic | Chrome inox metallic | White |
| Door handle type | Integrated Vertical | Integrated Vertical | Integrated Vertical | Integrated Vertical |
| Temperature display | Interior / Electronic LED | Interior / Electronic LED | Interior / Electronic LED | Interior / Electronic LED |
| Reversible door, hinged on right | • | • | • | • |
| Latest Condenser Technology | - | - | - | - |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | |
| Food preservation container | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer |
| KEY FEATURES – FRIDGE SECTION | | | | |
| LED light | • | • | • | • |
| SuperCool function | - | - | - | - |
| Bottle rack | • | • | • | • |
| Number of glass safety shelves | 4 | 4 | 4 | 4 |
| Number of adjustable shelves | 2 | 2 | | 2 |
| Number of door bins large / small | 1/2 | 1/2 | 1/2 | 1/1 |
| Dairy compartment | - | - | · · · · · · · · · · · · · · · · · · · | • |
| Number of egg racks | 3 | 3 | 3 | 3 |
| KEY FEATURES - FREEZER SECTION | | | | |
| Number of freezer drawers including BigBox / EasyAccess | 3 | 3 | 3 | 3 |
| SuperFreeze function | • | • | • | • |
| Number of ice packs / ice cube trays | -/- | -/- | ·/· | -/- |
| | | | | |
| FUNCTIONS | | | | |
| Door open warning signal / malfunction Holiday / Sabbath mode | -/- | -/- | - -/- | - -/- |
| PERFORMANCE AND CONSUMPTION | -/- | -/- | -/- | -/- |
| | | | A | A |
| Energy efficiency class | A E | ♣ E | A ↑ E | A E |
| Annual energy consumption ¹ (kWh) | 238 | 233 | 228 | 228 |
| Total unit net capacity (litres) | 326 | 308 | 289 | 289 |
| Refrigerator net capacity including 0°C drawers (litres) | 237 | 214 | 195 | 195 |
| Refrigerator 0°C net capacity (litres) | - | - | | • |
| Freezer net capacity (litres) | 89 | 94 | 94 | 94 |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 39 | 39 | 39 | 39 |
| Noise Emission Class | С | С | С | С |
| Dimensions of the product (H x W x D) (cm) | 186 x 60 x 65 | 186 x 60 x 65 | 176 x 60 x 65 | 176 x 60 x 65 |
| EAN code | 4242005197408 | 4242005197408 | 4242005237159 | 4242005197330 |
| | | | | |

• = yes - = no

*Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C. For full specification details, please log onto our website and download a full specification sheet.

Selecting the right fridge or freezer for you

Joining strips

If you choose to have a freestanding single door fridge and single door freezer installed into your kitchen, you may want to consider using joining strips to go between the two appliances.

This allows a more seamless finish to your kitchen, as the gap between the appliances will be covered.


We have two available options, including stainless steel or white. Simply select the joining strip to suit your appliance colour.





Side by side

Single door fridges and freezers are designed to sit side-by-side to give you the double door effect. With hinges that can be fitted to either side of the appliances, you can choose which side you would like your fridge and freezer. Of course, if you want your appliances separate, this is possible as well. Choose from a variety of heights to suit your kitchen.



Fridges



| ТҮРЕ | FRIDGE | FRIDGE | FRIDGE | FRIDGE |
|--|--|--------------------------------|--------------------------------|-------------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 4 | SERIE 4 | SERIE 2 |
| MODEL | KSV36AWEPG | KSV36VLEP | KSV36VWEPG | KSV36NWEPG |
| Colour | White | Stainless steel look | White | White |
| DESIGN FEATURES | | | | |
| Colour of side panels | White | Chrome inox metallic | White | White |
| Door handle type | Vertical Bar | Vertical Bar | Vertical Bar | Vertical Bar |
| Temperature display | Interior / Digital LED | Interior / Electronic LED | Interior / Electronic LED | Interior / Electronic LED |
| Reversible door, hinged on left | • | • | • | • |
| Latest Condenser Technology | • | • | • | • |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | |
| Food preservation container | 1 x VitaFresh Plus, 1 x MultiBox vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x MultiBox vegetable drawer |
| KEY FEATURES - FRIDGE SECTION | | | | |
| LED light | • | • | • | • |
| SuperCool function | • | • | • | • |
| Bottle rack | • | • | • | |
| Number of glass safety shelves | 7 | 7 | 7 | 6 |
| Number of adjustable shelves | 4 | 5 | 5 | 5 |
| Number of door bins large / small | 2/2 | 2/2 | 2/2 | 2/3 |
| flex Shelf | - | - | - | - |
| Dairy compartment | • | • | • | - |
| Number of egg racks | 3 | 3 | 3 | 3 |
| FUNCTIONS | | | | |
| Door open warning signal / malfunction | • | | | |
| Holiday / Sabbath mode | -/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | | | | |
| Energy efficiency class | | . A E | 4 | Ā E |
| Annual energy consumption ¹ (kWh) | 116 | 116 | 116 | 116 |
| Refrigerator net capacity including 0°C drawers (litres) | 346 | 346 | 346 | 346 |
| Refrigerator O°C net capacity (litres) | - | - | - | - |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 39 | 39 | 39 | 39 |
| Noise Emission Class | С | С | C | С |
| Dimensions of the product (H x W x D) (cm) | 186 x 60 x 65 | 186 x 60 x 65 | 186 x 60 x 65 | 186 x 60 x 65 |
| EAN code | 4242005216130 | 4242005202195 | 4242005208241 | 4242005202010 |
| Matching Freezer | GSN36AWFPG | GSN36VLFP | GSN36VWFPG | GSN36VWFPG |

For full specification details, please log onto our website and download a full specification sheet.

Fridges



| ТҮРЕ | FRIDGE | FRIDGE | FRIDGE | FRIDGE |
|--|--------------------------------|--------------------------------|--------------------------------|-------------------------------|
| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 2 |
| MODEL | KSV33VLEP | KSV33VWEPG | KSV29VLEP | KSV29NWEPG |
| Colour | Stainless steel look | White | Stainless steel look | White |
| DESIGN FEATURES | | | | |
| Colour of side panels | Chrome inox metallic | White | Chrome inox metallic | White |
| Door handle type | Vertical Bar | Vertical Bar | Vertical Bar | Vertical Bar |
| Temperature display | Interior / Electronic LED | Interior / Electronic LED | Interior / Electronic LED | Interior / Electronic LED |
| Reversible door, hinged on left | • | • | • | • |
| Latest Condenser Technology | • | • | • | • |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | |
| Food preservation container | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x VitaFresh vegetable drawer | 1 x MultiBox vegetable drawer |
| KEY FEATURES – FRIDGE SECTION | | | | |
| LED light | • | • | • | • |
| SuperCool function | • | • | • | • |
| Bottle rack | • | • | • | - |
| Number of glass safety shelves | 7 | 7 | 6 | 5 |
| Number of adjustable shelves | 5 | 5 | 4 | 4 |
| Number of door bins large / small | 2/2 | 2/2 | 1/2 | 1/3 |
| flex Shelf | - | | - | - |
| Dairy compartment | • | • | • | - |
| Number of egg racks | 3 | 3 | 3 | 3 |
| FUNCTIONS | | | | |
| Door open warning signal / malfunction | _ | | | |
| Holiday / Sabbath mode | -/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | | | | |
| Energy efficiency class | A E | AE | A E | At |
| Annual energy consumption ¹ (kWh) | 113 | 113 | 109 | 109 |
| Refrigerator net capacity including 0°C drawers (litres) | 324 | 324 | 290 | 290 |
| Refrigerator 0°C net capacity (litres) | - | | - | |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 39 | 39 | 39 | 39 |
| Noise Emission Class | C | С | C | С |
| Dimensions of the product (H x W x D) (cm) | 176 x 60 x 65 | 176 x 60 x 65 | 161 x 60 x 65 | 161 x 60 x 65 |
| EAN code | 4242005205707 | 4242005205721 | 4242005205677 | 4242005205080 |
| Matching Freezer | GSN33VLEP | GSN33VWEPG | GSN29VLEP | GSN29VWEVG |

Freezers



| TYPE | FREEZER | FREEZER | FREEZER | FREEZER |
|---|------------------------|------------------------|---------------------------|---------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 6 | SERIE 4 | SERIE 4 |
| MODEL | GSN36BWFV | GSN36AWFPG | GSN36VLFP | GSN36VWFPG |
| Colour | White | White | Stainless steel look | White |
| DESIGN FEATURES | | | | |
| Frost-free system | noFrost | noFrost | noFrost | noFrost |
| Colour of side panels | White | White | Chrome inox metallic | White |
| Door handle type | Vertical Bar | Vertical Bar | Vertical Bar | Vertical Bar |
| emperature display | Exterior / Digital LED | Interior / Digital LED | Interior / Electronic LED | Interior / Electronic LED |
| Reversible door, hinged on right | • | • | • | • |
| Latest Condenser Technology | • | • | • | • |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | |
| MultiAirflow system | • | • | • | • |
| KEY FEATURES – FREEZER SECTION | | | | |
| .ED light | • | • | • | • |
| lumber of freezer compartments | 7 | 7 | 7 | 7 |
| umber of freezer drawers including bigBox | 5 | 4 | 4 | 5 |
| umber of freezer flaps / easyAccess shelves | 2/- | -/3 | -/3 | 2/- |
| umber of glass safety shelves | 6 | 6 | 6 | 6 |
| uperFreeze function | • | • | • | • |
| wist Ice Box | | | | - |
| umber of ice packs / ice cube trays | 2/- | 2/- | 2/1 | 2/1 |
| FUNCTIONS | -1 | | 2/1 | |
| Oor open warning signal / malfunction | • | • | • | • |
| loliday / Sabbath mode | -/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | -7- | -1- | -1- | -1- |
| Energy efficiency class | F | A F | A F | A F |
| | | | | |
| nnual energy consumption ¹ (kWh) | 294 | 294 | 294 | 294 |
| reezer net capacity (litres) | 242 | 242 | 242 | 242 |
| limate Class ² | SN-T | SN-T | SN-T | SN-T |
| torage period in event of power failure (hours) | 25 | 25 | 25 | 25 |
| oise level (dB(A) re 1 pW) | 40 | 40 | 39 | 39 |
| loise Emission | C | С | С | C |
| imensions of the product (H x W x D) (cm) | 186 x 60 x 65 | 186 x 60 x 65 | 186 x 60 x 65 | 186 x 60 x 65 |
| AN code | 4242005223077 | 4242005206612 | 4242005194025 | 4242005097876 |
| Matching Fridge | - | KSV36AWEPG | KSV36VLEP | KSV36VW3PG |

Freezers



| ТҮРЕ | FREEZER | FREEZER | FREEZER | FREEZER |
|--|---------------------------|---------------------------|---------------------------|---------------------------|
| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL | GSN33VLEP | GSN33VWEPG | GSN29VLEP | GSN29VWEVG |
| Colour | Stainless steel look | White | Stainless steel look | White |
| DESIGN FEATURES | | | | |
| Frost-free system | noFrost | noFrost | noFrost | noFrost |
| Colour of side panels | Chrome inox metallic | White | Chrome inox metallic | White |
| Door handle type | Vertical Bar | Vertical Bar | Vertical Bar | Vertical Bar |
| Temperature display | Interior / Electronic LED |
| Reversible door, hinged on right | • | • | • | • |
| Latest Condenser Technology | • | • | • | • |
| Home Connect / Built in cameras | -/- | -/- | -/- | -/- |
| FOOD FRESHNESS SYSTEM | | | | |
| MultiAirflow system | • | • | • | • |
| KEY FEATURES - FREEZER SECTION | | | | |
| LED light | • | • | • | • |
| Number of freezer compartments | 7 | 7 | 6 | 6 |
| Number of freezer drawers including bigBox | 4 | 4 | 4 | 5 |
| Number of freezer flaps / easyAccess shelves | -/3 | -/3 | -/2 | 1/- |
| Number of glass safety shelves | 6 | 6 | 5 | 5 |
| SuperFreeze function | • | • | • | • |
| Twist Ice Box | - | - | _ | - |
| Number of ice packs / ice cube trays | 2/1 | 2/1 | 1/1 | 1/1 |
| FUNCTIONS | | | | |
| Door open warning signal / malfunction | • | • | • | |
| Holiday / Sabbath mode | -/- | -/- | -/- | -/- |
| PERFORMANCE AND CONSUMPTION | | | | |
| Energy efficiency class | A E | A E | A E | A E |
| Annual energy consumption ¹ (kWh) | 229 | 229 | 221 | 221 |
| Freezer net capacity (litres) | 225 | 225 | 200 | 200 |
| Climate Class ² | SN-T | SN-T | SN-T | SN-T |
| Storage period in event of power failure (hours) | 25 | 25 | 25 | 25 |
| Noise level (dB(A) re 1 pW) | 39 | 39 | 39 | 39 |
| Noise Emission | С | С | С | С |
| Dimensions of the product (H x W x D) (cm) | 176 x 60 x 65 | 176 x 60 x 65 | 161 x 60 x 65 | 161 x 60 x 65 |
| EAN code | 4242005247974 | 4242005247981 | 4242005247929 | 4242005247943 |
| Matching Fridge | KSV33VLEP | KSV33VWEPG | KSV29VLEP | KSV29NWEPG |
| | | | | |

^{• =} yes -= no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Undercounter fridges & freezers













| ГҮРЕ | UNDERCOUNTER FRIDGE | UNDERCOUNTER FRIDGE FREEZER | UNDERCOUNTER FRIDGE FREEZER |
|---|-------------------------------|--------------------------------|--------------------------------|
| DESIGN FAMILY | SERIE 2 | SERIE 2 | SERIE 2 |
| MODEL | KTR15NWFAG | KTL15NWFAG | GTV15NWEAG |
| Colour | White | White | White |
| DESIGN FEATURES | | | |
| olour of side panels | White | White | White |
| oor handle type | Integrated Horizontal | Integrated Horizontal | Integrated Horizontal |
| emperature display | | - | - |
| eversible door, hinged on right | • | • | • |
| test Condenser Technology | | | - |
| ome Connect / Built in cameras | -/- | -/- | -/- |
| OOD FRESHNESS SYSTEM | | | |
| od preservation container | 1 x MultiBox vegetable drawer | 1 x MultiBox vegetable drawer | |
| EY FEATURES – FRIDGE SECTION | | | |
| D light | • | • | |
| perCool function | - | | - |
| ttle rack | · | | |
| mber of glass safety shelves | 3 | 2 | |
| mber of adjustable shelves | 1 | 1 | |
| mber of door bins large / small | 1/2 | 1/2 | |
| iry compartment | | | |
| umber of egg racks | 2 | 2 | • |
| EY FEATURES – FREEZER SECTION | | | |
| umber of freezer compartments | | 1 | 3 |
| uperFreeze function | • | • | • |
| ımber of ice packs / ice cube trays | -1- | -/- | -/- |
| UNCTIONS | | | |
| or open warning signal / malfunction | - | • | - |
| oliday / Sabbath mode | -/- | -/- | -/- |
| ERFORMANCE AND CONSUMPTION | | | |
| nergy efficiency class | A F | A F | A E |
| inual energy consumption ¹ (kWh) | 114 | 142 | 164 |
| tal unit net capacity (litres) | 136 | 120 | 83 |
| frigerator net capacity (litres) | 136 | 106 | |
| eezer net capacity (litres) | · | 14 | 83 |
| mate Class ² | SN-T | SN-T | SN-T |
| oise level (dB(A) re 1 pW) | 39 | 39 | 39 |
| pise emission | С | D | С |
| mensions of the product (H x W x D) (cm) | 85 x 56 x 58 | 85 x 56 x 58 | 85 x 56 x 58 |
| AN code | 4242005209125 | 4242005209095 | 4242005208968 |

1 x connection hose, 1 x egg tray

1787

908

French door fridge freezer

Serie 8

KFF96PIEP





Available May 2021 Colour of door panels Innox Easy clean Colour of sides Style of handle Horizontal and Vertical Bar noFrost in fridge and freezer Home Connect, WiFi dongle included 3 x VitaFresh Plus drawers, 1 x chiller drawer VitaFresh / FreshSafe / hyperFresh Product highlights LED Water dispenser Type of control Number of shelves Number of adjustable shelves Shelves for bottles Number of door bins / shelves Temperature display Digital Warning signal door open Visual and audible Door opened indicator Visual and audible Temperature adjustable in freezer Number of ice cube travs Automatic ice cube maker Ice dispenser features Internal / Ice cubes Number of freezer drawers A E Energy efficiency class Total net capacity (litres) 573 Freezer net capacity litres (litres)

Depth of product (mm)

Noise level (dB(A) re 1 pW)

Height of product (mm)

Width of product (mm)

 1 Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10 $^{\circ}$ C to 32 $^{\circ}$ C.





American fridge freezers

Serie 6

KAG93AIEPG





For full specification details, please log onto our website and download a full specification sheet.

| TYPE | AMERICAN |
|--|--|
| DESIGN FAMILY | SERIE 6 |
| MODEL NUMBER | KAG93AIEPG |
| DESIGN FEATURES | |
| Colour of door panels | Stainless steel Easy clean |
| Colour of sides | Grey |
| Style of handle | Vertical Bar |
| Colour of handle | Stainless steel |
| noFrost in fridge and freezer | • |
| Home Connect, WiFi dongle included | - |
| FOOD FRESHNESS SYSTEM | |
| VitaFresh / FreshSafe / hyperFresh | 2 x MultiBox drawers on rails |
| KEY FEATURES – FRIDGE SECTION | |
| Product highlights | LED |
| Water dispenser | |
| SuperCool | • |
| Type of control | Electronic |
| Number of shelves | 5 |
| Number of adjustable shelves | |
| Shelves for bottles | 1 |
| Number of door bins / shelves | 5 |
| Temperature display | Digital |
| Warning signal door open | Visual and audible |
| KEY FEATURES – FREEZER SECTION | |
| Door opened indicator | Visual and audible |
| SuperFreeze function | • |
| Temperature adjustable in freezer | • |
| Number of ice cube trays | Automatic ice cube maker |
| Ice dispenser features | Crushed Ice, Homebar, Ice Cubes, Water, Water filter |
| Number of freezer drawers | 2 |
| ADDITIONAL INFORMATION | |
| Energy efficiency class | † E |
| Annual energy consumption ¹ (kWh) | 323 |
| Total net capacity (litres) | 560 |
| Refrigerator net capacity (litres) | 369 |
| Freezer net capacity litres (litres) | 191 |
| Climate class ² | SN-T |
| Noise level (dB(A) re 1 pW) | 42 |

Depth of product (mm)

Additional accessories included

Height of product (mm)

Width of product (mm)

 $^{^{1}}\!\text{Actual}$ energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10 $^{\circ}$ C to 32 $^{\circ}$ C. Climate zone T = designed to operate in ambient temperatures of +18 $^{\circ}$ C to 43 $^{\circ}$ C.





American fridge freezers







| ТҮРЕ | AMERICAN | AMERICAN |
|--|--|---|
| DESIGN FAMILY | SERIE 6 | SERIE 6 |
| MODEL NUMBER | KAD93VIFPG | KAD93VBFPG |
| DESIGN FEATURES | | |
| Colour of door panels | Stainless steel, Easy clean | Black |
| Colour of sides | Grey | Grey |
| Style of handle | Vertical Bar | Vertical Bar |
| Colour of handle | Stainless steel | Stainless steel Stainless steel |
| noFrost in fridge and freezer | • | • |
| Home Connect, WiFi dongle included | | |
| FOOD FRESHNESS SYSTEM | | |
| VitaFresh / FreshSafe / hyperFresh | 2 x MultiBox drawers on rails | 2 x MultiBox drawers on rails |
| KEY FEATURES – FRIDGE SECTION | | |
| Product highlights | LED | LED |
| Water dispenser | | |
| SuperCool | • | • |
| Type of control | Electronic | Electronic |
| Number of shelves | 5 | 5 |
| Number of adjustable shelves | · | · |
| Shelves for bottles | | |
| Number of door bins / shelves | 5 | 5 |
| Temperature display | Digital | Digital |
| Warning signal door open | Visual and audible | Visual and audible |
| KEY FEATURES - FREEZER SECTION | | |
| Door opened indicator | Visual and audible | Visual and audible |
| SuperFreeze function | • | • |
| Temperature adjustable in freezer | | |
| Number of ice cube trays | Automatic ice cube maker Automatic ice cube maker | |
| lce dispenser features | Automatic ice cube maker Automatic ice cube maker Crushed Ice, Ice Cubes, Water, Water filter Crushed Ice, Ice Cubes, Water, Water filter | |
| Number of freezer drawers | 2 | 2 |
| PERFORMANCE AND CONSUMPTION | | - |
| Energy efficiency class | A F | A F |
| - | | |
| Annual energy consumption ¹ (kWh) | 404 | 404 |
| Total net capacity (litres) | 562 | 562 |
| Refrigerator net capacity (litres) | 371 | 371 |
| Freezer net capacity litres (litres) | 191 | 191 |
| Climate class ² | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) Noise emission class | 42 D | 42 D |
| Additional accessories included | 1 x connection hose, 1 x egg tray | |
| | 1 x connection nose, 1 x egg tray 1787 | 1 x connection hose, 1 x egg tray 1787 |
| Height of product (mm) Width of product (mm) | 908 | 908 |
| Depth of product (mm) | 707 | 707 |
| Departor product (IIIIII) | TUI | TUI . |



• = yes -= no

'Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.







| TYPE | AMERICAN | AMERICAN |
|---|---------------------------------|-------------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 4 |
| MODEL NUMBER | KAI93VIFPG | KAN93VIFPG |
| DESIGN FEATURES | | |
| Colour of door panels | Stainless steel, Easy clean | Stainless steel, Easy clean |
| Colour of sides | Grey | Grey |
| Style of handle | Vertical Bar | Vertical Bar |
| Colour of handle | Stainless steel Stainless steel | Stainless steel |
| noFrost in fridge and freezer | • | • |
| Home Connect, WiFi dongle included | | |
| FOOD FRESHNESS SYSTEM | | |
| VitaFresh / FreshSafe / hyperFresh | 2 x MultiBox drawers on rails | 2 x MultiBox drawers on rails |
| KEY FEATURES – FRIDGE SECTION | | |
| Product highlights | LED | LED |
| Water dispenser | | |
| SuperCool | • | • |
| Type of control | Electronic | Electronic |
| Number of shelves | 5 | 5 |
| Number of adjustable shelves | | |
| Shelves for bottles | | · |
| Number of door bins / shelves | 5 | 5 |
| Temperature display | Digital | Digital |
| Warning signal door open | Visual and audible | Visual and audible |
| KEY FEATURES – FREEZER SECTION | | |
| Door opened indicator | Visual and audible | Visual and audible |
| SuperFreeze function | • | • |
| Temperature adjustable in freezer | | • |
| Number of ice cube trays | Automatic ice cube maker - | |
| Ice dispenser features | Crushed Ice, Ice Cubes, Water | |
| Number of freezer drawers | 2 | |
| ADDITIONAL INFORMATION | | |
| Energy efficiency class | ā F | â F |
| | | |
| Annual energy consumption ¹ (kWh) | 404 562 | 413 580 |
| Total net capacity (litres) | 371 | 372 |
| Refrigerator net capacity (litres) Freezer net capacity litres (litres) | 191 | 208 |
| Climate class ² | SN-T | SN-T |
| Noise level (dB(A) re 1 pW) | 42 | 42 |
| Noise emission class | D D | D D |
| Additional accessories included | 1 x egg tray | 1 x egg tray |
| Height of product (mm) | 1787 | 1787 |
| Width of product (mm) | 908 | 908 |
| D. II. (1 () | 707 | 707 |

• = yes -= no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Wine cabinets

Your own personal wine cellar.

The new range of stylish Bosch wine cabinets blend seamlessly into your kitchen, while constantly keeping your red and white wine perfectly stored and at an ideal temperature.







| ТҮРЕ | WINE COOLER | WINE COOLER |
|---|-----------------------------------|-----------------------------------|
| DESIGN FAMILY | SERIE 6 | SERIE 6 |
| MODEL NUMBER | KWK36ABGAG | KWK16ABGAG |
| Colour | Black, Glass door | Black, Glass door |
| DESIGN FEATURES | | |
| Colour of side panels | Cast iron | Cast iron |
| ype of glass door | 3 glass panels, UV-filtered | 3 glass panels, UV-filtered |
| oor handle type | Integrated Vertical, Push to open | Integrated Vertical, Push to open |
| emperature display | Interior / Digital LED | Interior / Digital LED |
| eversible door, hinged on right | • | • |
| Iome Connect / Built in cameras | ·/· | ·/· |
| KEY FEATURES | | |
| ange of temperature (0°C) | 5 - 20 | 5 - 20 |
| emperature zones | 2 | 2 |
| ED light | • | • |
| umber of shelves | 10 | 5 |
| umber of oak shelves | 8 | 3 |
| umber of adjustable shelves | 4 | |
| resenter shelf and lighting | • | |
| apacity in 0.751 (Bordeaux bottles) | 199 | 44 |
| UNCTIONS | | |
| oor open warning signal / malfunction | • | • |
| hild lock | • | • |
| PERFORMANCE AND CONSUMPTION | | |
| nergy efficiency class | a 6 | G G |
| nnual energy consumption ¹ (kWh) | TBA | TBA |
| efrigerator net capacity (litres) | 367 | 108 |
| limate class² | SN-ST | SN-ST |
| pise level (dB(A) re 1 pW) | 38 | 38 |
| pise emission class | D | D |
| mensions of the product (H x W x D) (cm) | 185.7 x 59.8 x 60.5 | 81.8×59.8×58.6 |
| AN code | 4242005225576 | 4242005225545 |

For full specification details, please log onto our website and download a full specification sheet

Introducing the Bosch vacuum cleaner range.

The vacuum **battery power** you can trust.



The **pioneers** of **power**.

Today, Bosch's batteries are unrivalled, offering compact and lightweight long-life batteries that consistently deliver on power, performance and efficiency – making Bosch the number one choice for cordless technology in the home and garden.



The Flexxo

The flexible one. Perfect for those hard to reach spaces.

The Flexxo is lightweight and flexible enough to manoeuvre into the trickiest of spaces, while the integrated accessories mean that you have everything you need at your fingertips.



The Athlet

The powerful one. Less effort, with more cleaning power.

With a runtime of up to 75 minutes, the Athlet's powerful, cordless technology will take any floor in its stride, no matter what crumbs, dust or pet hair stand in its way.



The never ending one. Works on so many levels.

The Unlimited handheld vacuum offers powerful 360 degree cordless cleaning and the battery is also exchangeable*, which means it's always ready to go, whenever you need it. *Additional battery with selected models



We have the **perfect** vacuum cleaner for all **lifestyles**.

For the Athlet, Flexxo and Unlimited vacuum cleaner range there is a ProAnimal, ProPower or ProHome model. Bosch makes it easy to choose the perfect vacuum for your lifestyle and cleaning requirements.







Unlimited Serie 8

Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable **Power4All System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so it's compatible with more than 20 power tools and lawn and garden products from Bosch.



ProAnimal

BBS81PETGB



| DESIGN FAMILY | SERIE 8 |
|--------------------------------|---|
| MODEL NUMBER | BBS81PETGB |
| | Multi use |
| SUB-RANGE | ProAnimal |
| FEATURES | |
| | Power for ALL interchangeable battery packs |
| Main Trade Up Feature | Pet kit 8 x accessories |
| Continuous runtime | |
| All Floors | • |
| SmartSensor | - |
| Lithium battery | • |
| Advanced Lithium battery | • |
| Turbo Spin Motor | - |
| HiSpin motor | • |
| Performace brush bar | • |
| large, aerodymanic brush bar | • |
| Motorised brush head | • |
| Cartridge filter cleaning | • |
| Auto clean filter | • |
| BDLC motor | |
| Additional Features | - |
| ACCESSORIES | |
| Pet Mini Turbo | • |
| Hose | |
| XXL Upholstery Tool | |
| XXL Crevice nozzle | |
| 2 in 1 crevice/upholstery tool | • |
| Flexible crevice tool | • |
| Removeable handheld | • |
| Mattress Nozzle | - |
| Keyboard nozzle | - |
| Additional Brushbar | • |
| Short handle | |
| Athlet strap | - |
| Exchangeable battery pack | |
| Wall mount | - |
| Spare filter | |
| CHARGING | |
| Charge time | 5 hours |
| Docking station | - Jilouis |
| Fast charger | |
| POWER & PERFORMANCE | |
| Runtime | 40 mins |
| Volts | 18.0V |
| Ampere Hour | 3 |
| Batteries included | 1 |
| Removable Power4All batteries | • |
| More Power | · |
| Superior Performance | |
| TECHNICAL SPECS | |
| | 20 |
| Weight (kg) | 2.9 |
| Dust Bin size (L) | 0.4 |
| Performance levels | 2 |
| ● = Yes - = No | |

UNLIMITED VACUUM CLEANERS

Unlimited Serie 6

Experience Bosch's lightest ever cordless handstick vacuum with the flexibility to clean from floors to ceilings and sofas to cars. You can also swap batteries between the Unlimited vacuum and compatible Bosch cordless garden and power tools.



| ProHome |
|----------|
| BCS612GB |
| 1 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| ТҮРЕ | UNLIMITED VACUUM CLEANERS | | |
|---|--|-----------|--|
| DESIGN FAMILY | SERIE 6 SERIE 6 | | |
| MODEL NUMBER | BCS612GB | BCS611GB | |
| | Multi use | Multi use | |
| SUB-RANGE | ProHome | ProHome | |
| FEATURES | | | |
| Main Trade Up Feature | Power for ALL interchangeable battery packs 2 x batteries 3 accessories | | |
| Continuous runtime | | | |
| All Floors | • | • | |
| SmartSensor Lithium battery | | • | |
| Advanced Lithium battery | • | • | |
| Turbo Spin Motor | | | |
| HiSpin motor | | • | |
| Performace brush bar | • | • | |
| large, aerodymanic brush bar | | | |
| Motorised brush head Cartridge filter cleaning | • | • | |
| Auto clean filter | | | |
| BDLC motor | • | • | |
| Additional Features | | - | |
| ACCESSORIES | | | |
| Pet Mini Turbo | | • | |
| Hose CTD Coming to all | • | • | |
| STD Crevice tool XXL Upholstery Tool | | | |
| STD Upholstery tool | | | |
| XXL Crevice nozzle | | | |
| 2 in 1 crevice/upholstery tool | • | • | |
| Flexible crevice tool | • | • | |
| Removeable handheld | • | • | |
| Mattress Nozzle Keyboard nozzle | | | |
| Additional Brushbar | | | |
| Short handle | | | |
| Athlet strap | | | |
| Exchangeable battery pack | • | | |
| Wall mount | • | | |
| Spare filter | | | |
| CHARGING | | 51 | |
| Charge time Docking station | 5 hours | 5 hours | |
| Fast charger | | • | |
| POWER & PERFORMANCE | | | |
| Runtime | 60 mins | 30 mins | |
| Volts | 18.0V | 18.0V | |
| Ampere Hour | 2.5 | 2.5 | |
| Batteries included | 2 | 1 | |
| Removable Power4All batteries | • | • | |
| More Power Superior Performance | | | |
| TECHNICAL SPECS | | | |
| Weight (kg) | 2.3 | 2.3 | |
| Dust Bin size (L) | 0.4 | 0.4 | |
| Performance levels | 2 | 2 | |

Athlet Vacuum cleaners



| ТҮРЕ | ATHLET ULTIMATE VACUUM CLEANER | | ATHLET VACU | UM CLEANERS | |
|---|-----------------------------------|---------------------------------------|---------------------------------------|----------------|---------------------------------------|
| DESIGN FAMILY | SERIE 8 | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
| MODEL NUMBER | BCH7PETGB | BCH6PETGB | BCH625K2GB | BCH625KTGB | BCH85KITGB |
| | 1in1 | 1in1 | 1in1 | 1in1 | 1in1 |
| SUB-RANGE | ProAnimal | ProAnimal | ProHome | ProHome | ProHome |
| FEATURES | | | | | |
| | High Performance, 75min+ runtime | | 60 min run time | | 45 min run time |
| Main Trade Up Feature | 6 x accessories | 6 x accessories | 6 x accessories | 60 min runtime | 6 x accessories |
| Continuous runtime | | | | | |
| All Floors | • | • | • | • | • |
| SmartSensor | • | • | • | • | • |
| Lithium battery | | • | • | • | • |
| Advanced Lithium battery | • | - | · · · · · · · · · · · · · · · · · · · | - | - |
| Turbo Spin Motor | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | • | |
| HiSpin motor | • | • | • | | |
| Performace brush bar | • | | • | | • |
| large, aerodymanic brush bar | • | | • | • | |
| Motorised brush head Cartridge filter cleaning | | • | • | • | • |
| Auto clean filter | • | | | - | |
| BDLC motor | • | _ | | - | _ |
| Additional Features | | - | - - | - | - |
| ACCESSORIES | | | | | |
| | | | | | |
| Pet Mini Turbo | • | • | · · | - | · · · · · · · · · · · · · · · · · · · |
| Hose | • | • | • | • | • |
| STD Crevice tool | • | • | • | • | • |
| XXL Upholstery tool | • | • | • | • | • |
| STD Upholstery tool | | - | - | - | • |
| XXL Crevice nozzle 2 in 1 crevice/upholstery tool | - | - | • | - | |
| Flexible crevice tool | | - | | - | |
| Removeable handheld | | - | _ | - | _ |
| Mattress Nozzle | • | • | • | | _ |
| Keyboard nozzle | | | - | - | - |
| Additional Brushbar | | - | - | - | - |
| Short handle | • | • | • | - | • |
| Athlet strap | • | • | • | • | • |
| Exchangeable battery pack | | - | - | - | - |
| Wall mount | - | - | - | - | - |
| Spare filter | • | · | - | - | - |
| CHARGING | | | | | |
| Charge time | 6 hours | 6 hours | 6 hours | 6 hours | 6 hours |
| Docking station | - | - | | - | - |
| Fast charger | | - | - | - | - |
| POWER & PERFORMANCE | | | | | |
| | 75 | 00. | 20. | 00. | 45 : |
| Runtime | 75 mins | 60 mins | 60 mins | 60 mins | 45 mins |
| Volts Ampere Hour | 32.4V - | 25.2V - | 25.2V - | 25.2V - | 18 V |
| Ampere Hour Batteries included | - Integrated | Integrated | - Integrated | Integrated | Integrated |
| Removable Power4All batteries | integrateu - | integrateu | integrateu - | ilitegrateu | integrateu - |
| More Power | - | | | | |
| Superior Performance | • | | | - | |
| TECHNICAL SPECS | | | | | |
| | | 2.5 | | 0.2 | |
| Weight (kg) | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| Dust Bin size (L) Performance levels | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 |
| remonitance levels | 3 | 3 | 3 | 3 | 3 |

• = Yes - = No

| -lexxo & Readyy y | |
|-------------------|--|
| Vacuum cleaners | |
| | |



| DESIGN FAMILY | SERIE 4 | SERIE 4 | SERIE 4 | SERIE 4 |
|---|-------------------------|---|---------------------------------------|---------------------|
| MODEL NUMBER | BBH3PETGB | BBH3251GB | BBH3211GB | BCHF220GB |
| | 2in1 | 2in1 | 2in1 | 2in1 |
| SUB-RANGE | ProAnimal | ProHome | ProClean | ProClean |
| FEATURES | | | | |
| | Tools on Board | Tools on Board | Tools on Board | Integrated handheld |
| Main Trade Up Feature | Pet kit 8 x accessories | 55 min runtime, 25V | 3 accessories | 20V 44 min |
| Continuous runtime | | | | |
| All Floors | • | • | • | • |
| SmartSensor | - | - | - | • |
| Lithium battery | • | • | • | • |
| Advanced Lithium battery | - | - | - | • |
| Turbo Spin Motor | · | | - | • |
| HiSpin motor Performace brush bar | | | | |
| large, aerodymanic brush bar | - | - | | |
| Motorised brush head | • | • | • | • |
| Cartridge filter cleaning | | - | - | - |
| Auto clean filter | - | - | • | - |
| BDLC motor | - | - | - | - |
| Additional Features | • | | | • |
| ACCESSORIES | | | | |
| Pet Mini Turbo | ÷ | - | | - |
| Hose | - | - | | • |
| STD Crevice tool | - | - | - | - |
| XXL Upholstery Tool | | - | | - |
| STD Upholstery tool | * | - | - | • |
| XXL Crevice nozzle | • | • | • | • |
| 2 in 1 crevice/upholstery tool Flexible crevice tool | | • | • | • |
| Removeable handheld | | | · · · · · · · · · · · · · · · · · · · | • |
| Mattress Nozzle | | - | <u>.</u> | |
| Keyboard nozzle | | - | | |
| Additional Brushbar | • | - | - | - |
| Short handle | | - | | - |
| Athlet strap | - | - | | • |
| Exchangeable battery pack | | · | • | • |
| Wall mount | + | * · · · · · · · · · · · · · · · · · · · | * | • |
| Spare filter | • | | | • |
| CHARGING | | | | |
| Charge time | 5 hours | 5 hours | 5 hours | 5 hours |
| Docking station Fast charger | | | · . | |
| POWER & PERFORMANCE | | | | |
| | 55. | 55-2 | 50-1 | 44-4- |
| Runtime Volts | 55 mins 25.2V | 55 mins 25.2V | 50 mins 21.6V | 44 mins 20.0V |
| Ampere Hour | 20.2V - | 25.2V - | - | - - |
| Batteries included | Integrated | Integrated | Integrated | Integrated |
| Removable Power4All batteries | - | - | - | - |
| More Power | - | - | - | - |
| Superior Performance | - | • | • | + |
| TECHNICAL SPECS | | | | |
| Weight (kg) | 3.0 | 3.0 | 3.0 | 2.5 |
| Dust Bin size (L) | 0.4 | 0.4 | 0.4 | 0.4 |
| Performance levels | 2 | 2 | 2 | 2 |

Microwaves



| OVENTYPE | MICROWAVE OVEN | MICROWAVE OVEN WITH GRILL | MICROWAVE OVEN | MICROWAVE OVEN WITH GRILL | MICROWAVE OVEN |
|---|--|------------------------------|--|------------------------------|------------------------------|
| DESIGN FAMILY | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 | SERIE 2 |
| MODEL/COLOUR | HMT84M421B - WHITE HMT84M461B - BLACK HMT84M451B - STAINLESS STEEL | HMT75G451B - STAINLESS STEEL | HMT75M461B - BLACK HMT75M451B - STAINLESS STEEL HMT75M421B - WHITE | HMT72G450B - STAINLESS STEEL | HMT72M450B - STAINLESS STEEI |
| DESIGN | | | | | |
| Electronic controls | • | • | • | | - |
| Control Dial | • | • | • | • | • |
| Retractable control dial | 1 | 1 | 1 | - | - |
| Push buttons | • | • | • | • | • |
| Left hinged door | • | • | • | • | • |
| Door Open Button | • | • | • | • | • |
| FEATURES | | | | | |
| Electronic clock timer | Red LED | Red LED | Red LED | | |
| Interior lights | 1 standard | 1 standard | 1 standard | 1 standard | 1 standard |
| Max. 99 minute timer | • | • | • | - | - |
| Max. 60 minute timer | | · | | • | • |
| Stainless steel interior | | • | _ | | |
| Laquered interior | • | · · · · · · | | | |
| Glass turntable | • | • | | | |
| PROGRAMMES / FUNCTIONS | | | | | |
| Microwave | • | • | • | • | • |
| Quartz grill | | • | - | • | - |
| Microwave and Grill Combination operation | | • | - | • | - |
| Microwave / grill combination programmes | | 1 | | | _ |
| Automatic programmes | 7 | 8 | 7 | - | _ |
| Memory function | • | • | • | _ | _ |
| PERFORMANCE / TECHNICAL INFORM | | | | | |
| Cavity dimensions (HxWxDmm) | 215x337x354 | 194x290x274 | 194x290x274 | 194x290x274 | 194x290x274 |
| Useable oven capacity (L) | 25 | 17 | 17 | 17 | 17 |
| Microwave distribution | Turntable | Turntable | Turntable | Turntable | Turntable |
| Turntable diameter (mm) | 315 | 245 | 245 | 245 | 245 |
| Maximum microwave power (W) | 900 | 800 | 800 | 800 | 800 |
| Number of microwave power levels | 5 | 5 | 5 | 5 | 5 |
| Grill power (W) | | 1000 | - | 1000 | - |
| Voltage (V) | 230 | 230 | 230 | 230 | 230 |
| Total connected loading (W) | 1450 | 1270 | 1270 | 1270 | 1270 |
| Cable length (cm) | 130 | 130 | 130 | 130 | 130 |
| GB plug | - | • | 130 | 130 | 130 |
| | | | | | |
| STANDARD ACCESSORIES | | | | | |
| Wire rack | • | 1 | | 1 | • |
| Turntable | 1 | 1 | 1 | 1 | 1 |

Food Preparation

Bosch makes it, easy.

Our multi-functional stand mixers, food mixers and processors are packed with innovative, labour-saving technology so you can chop, blend, shred, mix and whisk your way more quickly through your food preparation task.

| MODEL | MUM9GX5S21 |
|--|--|
| Housing colour | Platinum silver |
| Side panel colour | Black |
| Housing material | Metal |
| Wattage / Power (W) | 1500 |
| SensorControl (egg whites / cream / yeast dough) | • |
| Scale | • |
| Timer | • |
| Speed settings | 7-stage |
| On/Off switch with LED indication | Illuminated ON / OFF switch |
| Gentle start | • |
| Bowl with anti-splash cover (SAN) Stainless steel | • |
| Plastic | - |
| Volume bowl (I) | 5.5 |
| Max. flour + ingredients (kg) | 1.5 |
| Max. dough capacity yeast dough (kg) | - |
| Max. dough capacity sponge mixture (kg) | 3.5 |
| Stirring concept | 3D Planetary Mix |
| Parking position | • |
| Tools (stainless steel) Stirring whisk | • |
| Beating whisk | • |
| Dough hook | • |
| Professional Absolute stirring whisk | • |
| Professional Steering & beating whisk | |
| ACCESSORIES/ NUMBER | |
| Colour coding | • |
| Blender / jar with scale Plastic blender / jar blender / jar | - |
| Glass blender / jar | • |
| rpm | 8,500 min-1 |
| ToGo bottle with drinking lid, BPAfree | - |
| Glass grinder (detach. stainl. st. knife, dishw. safe) | - |
| Glass chopper (detach. stainl. st. knife, dishw. safe) | - |
| Glass containers with storage lid | - |
| Continuous shredder with stainless steel discs | • |
| Multi mixer with stainless steel discs | - |
| Number of discs / functions continuous shredder | • |
| Reversible slicing disc thick / thin | • |
| Reversible shredding disc coarse / fine | - |
| Rough grating disc | • |
| Grating disc medium / fine | - |
| ProfessionalSuperCut disc | - |
| Asia-vegetable / Julienne disc | • |
| Meat mincer Diameter 3 mm disc holes | • |
| Diameter 5 mm disc holes | • |
| Diameter 8 mm disc holes | • |
| Fancy biscuit attachment | |
| Citrus press | |
| Cube cutter with cleaning brush insert with 0.9 x 0.9 cm | |
| insert with 1.3 x 1.3 cm Storage Cable storage | Auto. cable retraction |
| Storage Cable storage Accessory holder | Auto. cable retraction |
| Accessory holder Accessory bag / grey | |
| Accessory bag / red | |
| Plug-type | GB plug |
| Safety features Overload protection | |
| Safety leatures Overload protection | |
| Suction feet for extra stability | Rubber feet |
| RECIPES | |
| Booklet | Integrated in |
| | integrateu iii |
| DVD | the state of the s |

Make sense of mixing with Optimum.

Intuitive sensor technology and incredible versitility means the Optimum easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one, this stand mixer makes cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only stand mixer you will ever need to bring your recipes to life.

Integrated scales.

The Optimum makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

Perfectly mixed ingredients.

Your ingredients will be perfectly mixed thanks to the 3D Planetary mixing system. Simply add your ingredients to the bowl and let the mixer do the work for you. The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well. The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

Thanks to smart tool detection, no matter what tool is used, the Optimum takes care of the maximum speed for each tool.

The CreationLine Stand Mixer will look stunning in any kitchen, thanks to it's elegant design.



3D Planetary Mixing.

Whether you want to whisk, mix, 3D Planetary Mixing means the knead or chop, the CreationLine tools move in three directions, while the socket turns in the opposite direction, ensuring the mixture is picked up properly from around the sides, bottom ready even quicker thanks to the and centre of the bowl.

Included in the box are flexi stirring whisk with silicon edge, beating whisk, kneading hook as well as the shredder with 4 stainless steel shredding and grating discs.

MUM5XW10GB

1.00

Gentle start

| Premium stirring whisk | |
|---|--|
| Premium beating whisk | |
| Professional Absolute stirring whisk | |
| Professional Steering & beating whisk | |
| Professional kneading hook | |
| Beating whisk set | |
| Kneading hook stainless steel/aluminium | |

| ACCESSORIES / NUM | BER | |
|-------------------------------|------------------------------------|------------------------|
| Smart tool detection | | |
| Blender / jar with scale Pl | lastic blender / jar blender / jar | |
| | Glass blender / jar | |
| | rpm | 14.000 min-1 |
| ToGo bottle with drinking lic | d, BPAfree | |
| Glass grinder (detach. stain | l. st. knife, dishw. safe) | |
| Glass chopper (detach. stai | nl. st. knife, dishw. safe) | |
| Glass containers with storage | ge lid | |
| Continuous shredder with s | tainless steel discs | • |
| Multi mixer with stainless st | eel discs | |
| Number of discs / | functions continuous shredder | |
| Re | versible slicing disc thick / thin | • |
| Reversit | ble shredding disc coarse / fine | • |
| | Course grating disc | |
| | Fine grating disc | • |
| Revers | sible shredding and slicing disc | • |
| | SuperCut disc | - |
| | French fries disc | |
| | Asia vegetable disc | - |
| Meat mincer | Chamber size | |
| | Blocking power | |
| | Output (kg/min) | |
| | Diameter 3 mm disc holes | - |
| | Diameter 5 mm disc holes | - |
| | Diameter 8 mm disc holes | - |
| | Fancy biscuit attachment | - |
| Citrus press | | - |
| Cube cutter with cleaning b | rush insert with 0.9 x 0.9 cm | - |
| | insert with 1.3 x 1.3 cm | - |
| Storage | Cable storage | Auto. cable retraction |
| | Accessory bag / grey | • |
| Plug-type | | GB plug |
| Safety features | Suction feet for extra stability | Rubber feet |
| RECIPES | | |
| | Booklet | - |
| | | |

Stand Mixers



| TYPE | SERIE 2 STAND MIXER | CREATIONLINE STAND MIXER |
|--|---------------------------|--------------------------|
| MODEL | MUMS2EW00G | MUM59340GB |
| Housing colour | White | Grey |
| Side panel colour | White | Anthracite |
| Housing material | Plastic: | Plastic |
| Wattage / Power (W) | 700 | 1000 |
| SensorControl (egg whites / cream / yeast dough) | - | - |
| | | |
| Scale | • | • |
| Timer | ÷ . | - |
| Speed settings | 4-stage | 7-stage |
| On/Off switch with LED indication | • | LED indicator |
| Gentle start | • | • |
| Bowl with anti-splash cover (SAN) Stainless steel | • | • |
| Plastic | | |
| Volume bowl (I) | 3.8 | 3.9 |
| Max. flour + ingredients (kg) | 0.75 | 0.75 |
| | 0.75 - | 0.75 |
| Max. dough capacity yeast dough (kg) | | |
| Max. dough capacity sponge mixture (kg) | 2 | 2 |
| Stirring concept | 3D Planetary Mixing | 3D Planetary Mixing |
| Parking position | • | • |
| Tools (stainless steel) Stirring whisk | • | · · |
| Beating whisk | • | |
| Dough hook (kneading hook) | • | |
| | • | |
| Premium stirring whisk | • | _ |
| Premium beating whisk | | • |
| Professional Absolute stirring whisk | | • |
| Professional Steering & beating whisk | | • |
| Professional kneading hook | · · | · · |
| Beating whisk set | | |
| Kneading hook stainless steel/aluminium | | |
| | | |
| ACCESSORIES / NUMBER | | |
| Smart tool detection | | • |
| Blender / jar with scale Plastic blender / jar blender / jar | · · | • |
| Glass blender / jar | | |
| rom | | 14.000 min-1 |
| ToGo bottle with drinking lid, BPAfree | | 14.000 1111111 |
| | | · . |
| Glass grinder (detach. stainl. st. knife, dishw. safe) | | |
| Glass chopper (detach. stainl. st. knife, dishw. safe) | • | • |
| Glass containers with storage lid | • | • |
| Continuous shredder with stainless steel discs | * | • |
| Multi mixer with stainless steel discs | | |
| Number of discs / functions continuous shredder | | |
| Reversible slicing disc thick / thin | | |
| | · | |
| Reversible shredding disc coarse / fine | • | • |
| Course grating disc | * | • |
| Fine grating disc | • | • |
| Reversible shredding and slicing disc | * | |
| SuperCut disc | | • |
| French fries disc | | |
| Asia vegetable disc | | |
| | | |
| | | • |
| Blocking power | • | • |
| Output (kg/min) | | |
| Diameter 3 mm disc holes | • | • |
| Diameter 5 mm disc holes | * | • |
| Diameter 8 mm disc holes | | |
| Fancy biscuit attachment | | |
| Citrus press | | |
| | • | |
| | | |
| insert with 1.3 x 1.3 cm | • | • |
| Storage Cable storage | Cable storage compartment | Auto. cable retraction |
| Accessory bag / grey | • | • |
| Plug-type | GB plug | GB plug |
| Safety features Suction feet for extra stability | Rubber feet | Rubber feet |
| outcos outcon est a stability | Habber reet | Nubbel leet |
| RECIPES | | |
| | | |
| | | |

Multifunctional.

saves you from needing to own multiple devices, freeing up that well needed space in your kitchen. Your dishes will also be 7 speed settings.

Additional accessories available for purchase.

Food Processors



| | | | , , , , , | | |
|--|---------------------------------------|---------------------------------------|-----------------------------|-----------------------------|--|
| ТҮРЕ | KITCHEN MACHINE | KITCHEN MACHINE | KITCHEN MACHINE | KITCHEN MACHINE | |
| BRAND | MULTITALENT3 | MULTITALENT3 | MULTITALENT8 | MULTITALENT8 | |
| MODEL | MCM3100WGB | MCM3501MGB | MC812S734G | MC812M853G | |
| Housing colour | White | Black | White | Black | |
| Front colour | Grey | Brushed stainless steel | Brushed stainless steel | Brushed stainless steel | |
| Housing material | Plastic | Plastic | Plastic | Plastic | |
| Wattage / Power (W) | 700 | 800 | 1200 | 1250 | |
| Speed settings | 2-stage | 2-stage | Infinitely variable | Infinitely variable | |
| Pulse function | - | - | - | - | |
| LED | - | - | Illuminated ON / OFF switch | Illuminated ON / OFF switch | |
| Bowl (BPAfree) M: plastic (vol max xml / usable 2.300ml) | • | • | | | |
| L: plastic (vol max 3.900ml / usable 2.400ml) | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | • | |
| Max. flower + ingredients (kg) | 0.8 | 0.8 | 1.5 | 1.5 | |
| Max. dough capacity sponge mixture (kg) | 0.8 | 0.8 | 1.5 | 1.5 | |
| Knife (stainless steel) M: Universal knife | 0.6 | | 1.5 | 1.5 | |
| L: serrated knife | • | • | • | • | |
| L: SETTATED KNITE | • | - | • | • | |
| ACCESSORIES/ NUMBER | | | | | |
| Smart tool detection | - | - | • | • | |
| Whisk | - | - | • | | |
| Beating disc | • | • | | - | |
| Dough hook | | | - | | |
| Plastic | • | | _ | | |
| Metal | • | | | | |
| No. of stainless steel discs: | - | <u> </u> | | • • | |
| | | | | | |
| Reversible Slicing & Shredding Disc | • | | - | | |
| Reversible slicing disc thick / thin | • | • | • | • | |
| Reversible shredding disc coarse / fine | • | • | • | • | |
| SuperCut disc | · | • | • | - | |
| Asia-vegetable / Julienne disc | - | - | • | • | |
| No. of inserts (only MCM4) | • | - | - | - | |
| Slicing fine | - | - | • | - | |
| Slicing coarse / thick | - | - | - | - | |
| Shredding fine | - | - | • | - | |
| Shredding medium | - | - | • | - | |
| Blender/ jar (BPAfree, lid) | | • | • | • | |
| S: material (vol max xml/ usable 1.000ml) | ~ | - | | - | |
| M: material (vol max xml/ usable 1.250ml) | - | - | - | - | |
| L: material (vol max xml/ usable 1.500ml) | | | | - | |
| rpm | 17,000 min-1 | 17,000 min-1 | 15,000 min-1 | 15,000 min-1 | |
| Citrus Press | | | • | • | |
| Centrifugal Juicer | | | | - | |
| Small chopper | | | | | |
| Small mill | | | | • | |
| Cube cutter | - | · | _ | _ | |
| Storage | | _ | | _ | |
| - | Cable storage compartment | Cable storage compartment | Cable storage compartment | Cable storage compartment | |
| Cable compartment | Cable storage compartment | Cable storage compartment | Cable storage compartment | Cable storage compartment | |
| Accessories | Standard acc. in the bowl | Standard acc. in the bowl | accessory bag dark grey | accessory bag dark grey | |
| Plug-type | GB plug | GB plug | GB plug | GB plug | |
| Safety features | · · | - | • | - | |
| Knife guard | • | • | | • | |
| Suction feet for extra stability | Suction foot | Suction foot | Suction foot | Suction foot | |
| | | | | | |

^{• =} Yes - = No

VitaPower Blender - high performance guaranteed



| ТУРЕ | MINI BLENDER |
|--|-----------------------|
| DESIGN FAMILY | VITAPOWER |
| MODEL | MMB2111MG |
| Housing colour | Silver |
| Secondary colour | Black |
| Housing material | Stainless Steel |
| Wattage / Power (W) | 450 |
| RPM | 40.000 |
| On/off switch | - |
| Speed settings (2,5, variable) | One touch On/Off |
| Gentle Start | - |
| Pulse function | - |
| Material | Tritan BPA free |
| S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml | 0,8l max/ 0,6l usable |
| M: vol max 2300ml / 2400ml / usable 1500ml | - |
| L: vol max 2500ml / usable 2000ml | - |
| XL Vacuum: max vol 2000ml / usable 1500ml | - |
| Pusher | - |
| Knife stainless steel | - |
| No. of knives | 4 |
| Not detachable | - |
| detachable: screw mechanism | - |
| detachable: EasyClick mechanism | - |
| Ice crush function | • |
| ACCESSORIES | |
| 1 ToGo bottle with drinking lid | • |
| 1 Vacuum ToGo bottle with drinking lid | |
| 1 Vacuum storage container (usable 1.000ml) | |
| 2 Vacuum storage containers (usable 1.000&2.000ml) | |
| Storage - cable compartment | |
| Plug-type | GB plug |

PERFORMANCE BLENDER DESIGN FAMILY VITAPOWER MMB6174SG MODEL Housing colour Black Secondary colour Housing material Wattage / Power (W) 1.200 30.000 On/off switch Not illuminated Rotary switch Speed settings (2,5, variable) 2-stage Gentle Start Pulse function S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml M: vol max 2300ml / 2400ml / usable 1500ml L: vol max 2500ml / usable 2000ml XI Vacuum: max vol 2000ml / usable 1500ml Knife stainless stee Not detachable detachable- screw mechanism detachable: EasyClick mechanism

1 ToGo bottle with drinking lid 1 Vacuum ToGo bottle with drinking lid 1 Vacuum storage container (usable 1.000ml) 2 Vacuum storage containers (usable 1.000&2.000ml) Storage - cable compartment Cord keeper SAFETY FEATURES Safety stop RECIPES

Integrated in Operating Instr

Our VitaPower Serie 4 Blender will allow you to achieve great smoothie texture even with frozen ingredients with its stainless steel blades made in Solingen, Germany, its powerful 1.200W motor - highest power in its price class and its unique 3D dynamic Flow Boosters in the jar.

The handling is easy, safe and effortless with a patented EasyKlick blade holder and dishwasher safe parts.



VitaBar App • = Yes - = No

Languages

Vacuum technology for perfect taste and perfect storage.

The VitaPower Serie 8 Vacuum Blender & Storage. Blending under vacuum gives you perfect taste with a smooth texture.

Smoothies are blended under vacuum with minimal oxidation which leads to a longer preservation of oxygen sensitive vitamins, keeping your fruit and vegetables fresh for up to two times longer*.



Accessories.

The VitaPower Serie 8 Vacuum Blender comes with 2 vacuum storage boxes which allow you to store almost any food under vacuum, keeping it fresh for longer.

Keeps food

fresh for

longer

Preserves

Vitamins

The ToGo bottle enables you to store any leftover smoothie under vacuum meaning you'll have less layers, less bubbles, more natural colours and preservation of oxygen-sensitive vitamins. You even get a FREE smoothie recipe book for inspiration.

Keep food fresh for longer with the new ErgoMixx Fresh Vacuum System.

Enjoy the taste of fresh food every day.

Attach the vacuum pump to your hand blender with a simple click and preserve fresh food, leftovers or snacks in vacuum containers and zipper bags.

Motor with maximum power to meet the highest demands.

Thanks to having incredible Bosch power with a 1000 watt motor, the toughest ingredients can be processed. Giving excellent results in no time.



TYPE **VACUUM BLENDER** DESIGN FAMILY **ERGOMIXX** MODEL MS6CB61V5G Housing colour Secondary colou Anthracite Cable length (m Plastic (BPAfree GB plug Plug-type Eiect mechanisi Hanging loop ■ = Yes - = No

Homemade food simply tastes best.

The durable and extra sharp **QuattroBlade** delivers outstanding cutting action for fine blending results. Whether it's herbs, nuts. meat or onions they are chopped in no time. In addition, the AntiSplash function prevents splashes and helps keep your kitchen spotless.

Variable speed settings.

You can always be in control of the precise settings for every task, simply select the best speed from the variable 12 speed settings depending on the results you desire.

Accessories.

The dishwasher-safe chopper and whisk attachments are ready to use right away. The stackable vacuum container (1.2L) and 6 zipper bags (3 1.2L and 3.8L each) are BPA-free so they can also be cleaned in the dishwasher and used again.

VitaBar App

Stored in vacuum container and bags in refrigerator, compared to ordinary non-vacuum storage methods, study conducted by an independent laboratory 09/2018, 6/2019 and 12/2019

Hand Blenders

Bosch handheld kitchen blenders provide practical and powerful blending at the press of a button. Innovative technology and a range of accessories can transform your Bosch stick blender into a versatile and enviable kitchen gadget for blending, chopping, whisking and beating.



| DESIGN FAMILY MODEL Housing colour | MSM6B150GB White Grey | MSM66020GB White | CLEVERMIXX MSM2610BGB | CLEVERMIXX MSM2623GGB |
|--------------------------------------|-----------------------|------------------|--------------------------|--------------------------|
| | White Grey | White | | MSM2623GGB |
| Housing colour | Grey | | Pi II I | |
| | | | Piano black | White |
| Secondary colour | | Grey | Anthracite | Vivid green |
| Housing material | Plastic | Plastic | Plastic | Plastic |
| Wattage / Power (W) | 300 | 600 | 600 | 600 |
| Cable length (m) | 1.5 | 1.4 | 1.2 | 1.2 |
| SoftTouch | - | • | • | • |
| Speed | 12.500 min-1 | 11.200 min-1 | 15.000 min-1 | 15.000 Min-1 |
| Settings | 1-stage | 12-stage | 1-stage | 1-Stage |
| Turbo function | - | • | - | - |
| Foot | - | - | - | - |
| Stainless steel | | - | • | • |
| Plastic (BPA free) | • | • | - | * |
| M: QuattroBlade knife with 4 blades | • | • | • | • |
| L: QuattroBlade Pro + 4 knifes | | - | - | |
| Mini foot | - | - | | • |
| ACCESSORIES | | | | |
| Beaker | • | • | • | • |
| Maximum volume (I) | | - | - | |
| Usable volume (I) | - | - | - | - |
| Lid | - | - | | - |
| Stainless steel | - | - | - | - |
| Chopper with lid | - | • | - | • |
| Lid | - | - | - | • |
| Whisk, stainless steel | - | - | - | - |
| Plug-type | GB plug | GB plug | GB plug | GB plug |
| Eject mechanism | Bayonet | Eject | Bayonet | Bayonet |
| Hanging loop | - | - | - | - |
| Overhead protection | - | - | | - |
| RECIPES | | | | |
| Booklet | | - | - | Separate enclosure |





| HAND BLENDER | HAND BLENDER | HAND BLENDER | HAND BLENDER |
|--------------|---------------------------------------|---------------------------------------|------------------------------|
| ERGOMIXX | MSM6 | MAXOMIXX | MAXOMIXX |
| MS6CA4150G | MSM6S90BGB | MS8CM6160G | MS84CB6110 |
| White | Stainless steel | Stainless steel | Stainless steel |
| Anthracite | Black | Black | Black |
| Plastic | Plastic with stainless steel | Plastic with stainless steel | Plastic with stainless steel |
| 800 | 750 | 1.000 | 1.000 |
| 1.4 | 1.4 | 1.4 | 1.4 |
| • | • | • | • |
| 11.200 Min-1 | 14.500 Min-1 | 16.000 Min-1 | 16.000 Min-1 |
| 12-Stage | 12-Stage | 12-Stage | 12-Stage |
| • | • | • | • |
| | | - | |
| • | • | • | • |
| | - | - | |
| | • | | - |
| | | • | • |
| | - | | - |
| | | | |
| | | | |
| • | • | • | • |
| | • | - | |
| | · · · · · · · · · · · · · · · · · · · | _ | |
| | | | |
| | | | |
| | • | | |
| | · · · · · · · · · · · · · · · · · · · | | |
| • | • | · · · · · · · · · · · · · · · · · · · | · |
| GB plug | GB plug | GB plug | Helix cord |
| | | | |
| Eject - | Eject - | Eject - | Eject - |
| • | • | - - | • |
| • | • | | |
| | | | |
| | | | |
| | | | · |

• = Yes - = No

Explore more at bosch-home.co.uk / bosch-home.ie Making **life easy** through innovative technologies



| ТҮРЕ | HAND MIXER | HAND MIXER | HAND MIXER | HAND MIXER | HAND MIXER WITH BOWL |
|-----------------------------------|-------------|-------------|-------------|-------------|----------------------|
| DESIGN FAMILY | ERGOMIXX | CLEVERMIXX | CLEVERMIXX | STYLINE | CLEVERMIXX |
| MODEL | MFQ3030GB | MFQ36300GB | MFQ2420BGB | MFQ4020GB | MFQ3555GB |
| Value class name | ErgoMixx | CleverMixx | CleverMixx | Styline | CleverMixx |
| Housing colour | White | White | Piano black | White | White |
| Secondary colour | Red | Red | Silver | Black | Red |
| Housing material | Plastic | Plastic | Plastic | Plastic | Plastic |
| Wattage / Power (W) | 350 | 400 | 400 | 450 | 350 |
| SoftTouch | No | No | No | Yes | No |
| Speed | 1,050 min-1 | 1,000 min-1 | 1,050 min-1 | 1,000 min-1 | 1,100 min-1 |
| Settings | 4-stage | 5-stage | 4-stage | 5-stage | 5-stage |
| Pulse = Turbo | | - | - | - | |
| Connection for accessories | No | No | No | Yes | Yes |
| Stand 'n' bowl (plastic) | - | - | - | | Yes |
| Max. capacity (ml) | | - | | - | 3000 |
| ACCESSORIES: | | | | | |
| Beater, stainless steel | | - | | | |
| Standard | • | - | - | | - |
| Turbo | • | | • | - | • |
| FineCreamer | | • | - | • | - |
| Hooks, stainless steel | | - | - | | - |
| Standard | • | • | • | | • |
| Turbo | | - | - | - | - |
| Beaker | | - | - | | - |
| Lid | | | | | - |
| Chopper | | | | | - |
| Ice crush knife | - | - | - | | - |
| lid | | | | | - |
| Blender foot | | | | | - |
| Stainless steel | | | | | - |
| Plastic (BPA free) | | | | | - |
| Eject button (for beater / hooks) | • | • | • | • | • |
| Safety features | | | | | - |

• = Yes - = No

Breakfast at your fingertips.

With the elegant design and the latest heating technology that features across our range, the Sky kettle and toaster will help you start every morning the right way.



BOSCH

| TYPE | TOASTER | |
|---|-----------------|-----------------|
| DESIGN FAMILY | SKY | |
| MODEL | TAT7201GB | TAT7203GB |
| Main colour | Stainless steel | Black |
| Secondary colour | White | - |
| Type of toaster | | ct toaster |
| Material | | ss steel |
| Wattage / Power (W) | 860 - | 1050 |
| CHARACTERISTICS | | |
| Defrost function | | • |
| Reheat function | | • |
| Stop function | | • |
| High-lift | | • |
| Bun warmer | Integ | grated |
| Crumb tray | | • |
| Thick & thin function | | • |
| Toasting degree selector | Inf. variable | rotary control |
| Automatic shut off at end of roasting cycle | | • |
| Automatic shut off when toast gets jammed | | • |
| Heating type | Large-surface l | heating element |
| DIMENSIONS | | |
| HxWxD mm | 184x1 | 55x292 |
| Size of roasting chamber (LxWxD mm) | | - |
| POWER SUPPLY | | |
| Voltage (V) | 220 | -240 |
| Frequency (Hz) | 50 | / 60 |
| Plug type | GB | plug |
| Cable length (cm) | 90 | cm |

| TYPE | KE | KETTLE | | |
|------------------------------------|-----------------|----------------------|--|--|
| DESIGN FAMILY | 9 | БКY | | |
| MODEL | TWK7201GB | TWK7203GB | | |
| Main colour | Stainless steel | Black | | |
| Secondary colour | White | - | | |
| PRODUCT SPECIFICATION | | | | |
| Connection Rating (W) | 3 | 000 | | |
| Voltage (V) | 22 | 220-240 | | |
| Frequency (Hz) | 50 | 50 / 60 | | |
| Length electrical supply cord (cm) | | 80 | | |
| Plug type | GI | GB plug | | |
| Approval certificates | L | UKCA | | |
| Material body | Stain | ess steel | | |
| Capacity (I) | | 1.7 | | |
| Power on indicator | | • | | |
| Water level indicator | Readable | from outside | | |
| Lift-Switch_Off | | • | | |
| Filter | Plastic | Plastic scale filter | | |
| Button for opening lid | | • | | |
| Cordless | | • | | |

• 1.7 I capacity • Wattage: 2500-3000 W • one-cup minimum indicator: for small amounts (300ml) • Water level indicator readable from outside
• Cordless, 360° rotary base • Stainless steel interior base with concealed heating element • Removable limescale filter • Button for opening lid • Safety locking lid
• TemperatureControl: Temperature setting at 70°C, 80°C, 90°C, 100°C • Keep Warm Function • on/off switch with separate power indicator
• Automatic switch-off: kettle automatically switches off when water has boiled • Boil-dry and overheat protection • Lift switch off: the kettle automatically switches off when removed from its base • Large opening for easy cleaning • Acoustic ready signal • Non-slip feet on base • Easy storage: Cord keeper for simple and quick storage of the cable

Small appliances 78 | 79

Kettles & toasters









| ТҮРЕ | KETTLE | | | |
|---|--------------------------|--------------------------|-------------------------------|-------------------------------|
| DESIGN FAMILY | SKY | SKY | STYLINE | STYLINE |
| MODEL | TWK7201GB | TWK7203GB | TWK8631GB | TWK8633GB |
| Main colour Secondary colour | Stainless steel White | Stainless steel Black | White Anthracite | Black Black |
| FEATURES / BENEFITS | | | | |
| Connection Rating (W) | 3000 | 3000 | 3000 | 3000 |
| Voltage (V) | 220-240 | 220-240 | 220-240 | 220-240 |
| Frequency (Hz) | 50/60 | 50/60 | 50/60 | 50/60 |
| Length electrical supply cord (cm) | 80.0 | 80.0 | 80.0 | 80.0 |
| Plug type | GB plug | GB plug | GB plug | GB plug |
| Approval certificates | UKCA*, VDE | UKCA*, VDE | UKCA*, VDE | UKCA*, VDE |
| Material body | Stainless steel | Stainless steel | Plastic w. stainl.steel appl. | Plastic w. stainl.steel appl. |
| Capacity (I) | 1.70 | 1.70 | 1.50 | 1.50 |
| Power on indicator | • | • | • | • |
| Water level indicator | - | - | - | - |
| Lift switch-off when removed from the base | • | • | • | • |
| Filter | Plastic scale filter | Plastic scale filter | Scale filter in pouring spout | Scale filter in pouring spout |
| Button for opening lid | • | • | • | • |
| Cordless | • | • | • | • |
| Stainless Steel interior base | • | • | • | • |
| Concealed heating element | • | • | • | • |
| Removeable limescale filter | • | • | • | • |
| Cordless 360° rotary base | • | • | • | • |
| Safety locking lid | • | • | • | • |
| Illuminated on/off switch | Power indicator | Power indicator | • | • |
| Automatic switch-off when kettle has boiled | • | • | • | • |
| Boil-dry and overheat protection | • | • | • | • |
| Easy storage: Cord keeper for simple and quick storage of the cable | • | • | • | • |
| TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C | • | • | • | • |
| "Keep Warm Function" | • | • | • | • |
| Large opening for easy cleaning | • | • | - | - |
| One cup minimum indicator (min. 300ml) | • | • | - | - |
| Acoustic ready signal | • | • | • | • |
| Non-slip feet on base | • | • | - | - |
| Large water window: good visibility for right and left handed persons | - | - | - | - |
| Anti slip 'soft touch' handle | • | • | • | • |
| Ergonomic handle design | - | - | - | - |
| SensorTouch' controls | • | • | - | - |









| ТҮРЕ | TOASTER | | | | |
|---|-------------------------------|-------------------------------|--------------------------------|--------------------------------|--|
| DESIGN FAMILY | SKY | SKY | STYLINE | STYLINE | |
| MODEL | TAT7201GB | TAT7203GB | TAT8611GB | TAT8613GB | |
| Type of toaster | Compact toaster | Compact toaster | Compact toaster | Compact toaster | |
| Main colour | Stainless steel | Stainless steel | White | Black | |
| Secondary colour | White | Black | Anthracite | Black | |
| Material | Painted steel | Painted steel | Stainless steel | Stainless steel | |
| Wattage / Power (W) | 860 - 1.050 | 860 - 1.050 | 860 | 860 | |
| FEATURES / BENEFITS | | | | | |
| Defrost function | • | • | • | • | |
| Reheat function | • | • | • | • | |
| Stop function | • | • | • | • | |
| High-lift | • | • | • | • | |
| Bun warmer - integrated | • | • | • | • | |
| Crumb tray | • | • | • | • | |
| Thick & thin function | • | • | • | • | |
| Toasting degree selector | Variable rotary control | Variable rotary control | LED display w. memory function | LED display w. memory function | |
| Automatic shut off at end of roasting cycle | • | • | • | • | |
| Automatic shut off when toast gets jammed | • | • | • | • | |
| Heating type | Large-surface heating element | Large-surface heating element | Quartz glass heater | Quartz glass heater | |
| Voltage (V) | 220-240 V~ | 220-240 V~ | 220-240 V~ | 220-240 V~ | |
| Frequency (Hz) | 50/60 Hz | 50/60 Hz | 50/60 Hz | 50/60 Hz | |
| Plug type | GB plug | GB plug | GB plug | GB plug | |











| | | KETTLE | | |
|-------------------------------|-------------------------------|----------------------|----------------------|----------------------|
| STYLINE SENSOR | STYLINE SENSOR | DESIGNLINE ERGO | DESIGNLINE ERGO | DESIGNLINE ERGO |
| TWK86101GB | TWK86103GB | TWK5P480GB | TWK5P475GB | TWK5P471GB |
| White | Black | Silver | Anthracite | White |
| Anthracite | Anthracite | Black | Black | Black |
| | | | | |
| 3000 | 3000 | 3000 | 3000 | 3000 |
| 220-240 | 220-240 | 220-240 | 220-240 | 220-240 |
| 50/60 | 50/60 | 50/60 | 50/60 | 50/60 |
| 80.0 | 80.0 | 70.0 | 70.0 | 70.0 |
| GB plug | GB plug | GB plug | GB plug | GB plug |
| UKCA*, VDE | UKCA*, VDE | UKCA* | UKCA* | UKCA* |
| plastic w. stainl.steel appl. | Plastic w. stainl.steel appl. | Stainless steel | Stainless steel | Stainless steel |
| 1.50 | 1.50 | 1.70 | 1.70 | 1.70 |
| • | • | • | • | • |
| | | • | • | • |
| • | • | • | • | • |
| Scale filter in pouring spout | Scale filter in pouring spout | plastic scale filter | plastic scale filter | plastic scale filter |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | - | - | - |
| • | • | - | - | - |
| - | - | - | - | - |
| - | - | - | - | - |
| • | • | - | - | - |
| - | - | - | - | - |
| - | - | • | - | - |
| - | - | • | • | • |
| - | - | - | - | - |
| - | - | - | - | • |







| | TOASTER | |
|-------------------------------|-------------------------------|-------------------------------|
| DESIGNLINE ERGO | DESIGNLINE ERGO | DESIGNLINE ERGO |
| TAT5P440GB | TAT5P445GB | TAT5P441GB |
| 4 Slot toater | 4 Slot toater | 4 Slot toater |
| Silver | Anthracite | White |
| Black | Black | Black |
| Stainless steel | Stainless steel | Stainless steel |
| 825 - 980 | 825 - 980 | 825 - 980 |
| | | |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| • | • | • |
| Variable rotary control | Variable rotary control | Variable rotary control |
| • | • | • |
| • | • | • |
| Large-surface heating element | Large-surface heating element | Large-surface heating element |
| 220-240 V~ | 220-240 V~ | 220-240 V~ |
| 50/60 Hz | 50/60 Hz | 50/60 Hz |
| GB plug | GB plug | GB plug |
| | | |

Kettles & Toasters









| TYPE | | | KETTLE | | |
|---|----------------------|----------------------|----------------------|----------------------|----------------------|
| DESIGN FAMILY | DESIGNLINE | DESIGNLINE | DESIGNLINE | DESIGNLINE PLUS | DESIGNLINE PLUS |
| MODEL | TWK3P420GB | TWK3P423GB | TWK3P421GB | TWK4P440GB | TWK4P439GB |
| Main colour | Silver | Black | Red | Silver | Copper |
| Secondary colour | Black | Black | Black | Black | Black |
| FEATURES / BENEFITS | | | | | |
| Connection Rating (W) | 3000 | 3000 | 3000 | 3000 | 3000 |
| Voltage (V) | 220-240 | 220-240 | 220-240 | 220-240 | 220-240 |
| Frequency (Hz) | 50/60 | 50/60 | 50/60 | 50/60 | 50/60 |
| Length electrical supply cord (cm) | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 |
| Plug type | GB plug |
| Approval certificates | UKCA* | UKCA* | UKCA* | UKCA* | UKCA* |
| Material body | Stainless steel |
| Capacity (I) | 1.70 | 1.70 | 1.70 | 1.70 | 1.70 |
| Power on indicator | • | • | • | • | • |
| Water level indicator | • | • | • | • | • |
| Lift switch-off when removed from the base | • | • | • | • | • |
| Filter | Plastic scale filter | Plastic scale filter | Plastic scale filter | Plastic scale filter | Plastic scale filter |
| Button for opening lid | • | • | • | • | • |
| Cordless | • | • | • | • | • |
| Stainless Steel interior base | • | • | • | • | • |
| Concealed heating element | • | • | • | • | • |
| Removeable limescale filter | • | • | • | • | • |
| Cordless 360° rotary base | • | • | • | • | • |
| Safety locking lid | • | • | • | • | • |
| Illuminated on/off switch | • | • | • | • | • |
| Automatic switch-off when kettle has boiled | • | • | • | • | • |
| Boil-dry and overheat protection | • | • | • | • | • |
| Easy storage: Cord keeper for simple and quick storage of the cable | • | • | • | • | • |
| TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C | - | - | - | - | - |
| "Keep Warm Function" | - | - | - | - | - |
| Large opening for easy cleaning | - | - | - | - | - |
| One cup minimum indicator (min. 300ml) | | - | - | • | - |
| Acoustic ready signal | | • | - | - | |
| Non-slip feet on base | | - | | | - |
| Large water window: good visibility for right and left handed persons | | - | - | • | - |
| Anti slip 'soft touch' handle | | - | - | | - |
| Ergonomic handle design | | - | - | - | - |
| | | | | | |

























| TWX78A01GB | KETTLE CONTROL OF THE | | | | | | | | | |
|--|--|--|--|--|--|---|--|--|--|--|
| Stainless steel Cream Black White Black Cream Black Uight grey Black Anthropy Black Bl | rown | COUNTRY II | COUNTRY II | VILLAGE | VILLAGE | VILLAGE | | | | |
| 3000 | 78A01GB | TWK7507GB | TWK7503GB | TWK7601GB | TWK76033GB | TWK76075GB | | | | |
| 3000 3000 3000 3000 3000 3000 3000 3000 3000 20 2 | nless steel | Cream | Black | White | Black | Cream | | | | |
| 220-240 220-240 220-240 220-240 220-240 220-240 220-240 220-240 220-240 50/60 50 | - | Anthracite | Black | Light grey | Black | Anthracite | | | | |
| 220-240 220- | | | | | | | | | | |
| 50/60 50/60 50/60 50/60 50/60 50/60 50/70.0 | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 | | | | |
| 70.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0 | 20-240 | 220-240 | 220-240 | 220-240 | 220-240 | 220-240 | | | | |
| GB plug UKCA* UKCA | 50/60 | 50/60 | 50/60 | 50/60 | 50/60 | 50/60 | | | | |
| UKCA* Stanless steel Plastic Plastic Plastic Plastic Plastic Plastic Plastic 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | | | | |
| Stainless steel Plastic Plastic Plastic Plastic Plastic Plastic Plastic Plastic Plastic 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70 | 3B plug | GB plug | GB plug | GB plug | GB plug | GB plug | | | | |
| 1.70 1.70 1.70 1.70 1.70 1.70 1.70 1.70 | UKCA* | UKCA* | UKCA* | UKCA* | UKCA* | UKCA* | | | | |
| Both-sided for letf/right hand, Both-sided for letf/right hand | nless steel | Plastic | Plastic | Plastic | Plastic | Plastic | | | | |
| Both-sided for left/right hand, Readable from outside Readable fro | 1.70 | 1.70 | 1.70 | 1.70 | 1.70 | 1.70 | | | | |
| Readable from outside | • | | | | | • | | | | |
| Plastic scale filter Plastic s | • | Both-sided for left/right hand, Readable from outside | Both-sided for left/right Readable from outsid | | | | |
| | • | • | • | • | • | • | | | | |
| | c scale filter | Plastic scale filter | Plastic scale filter | Plastic scale filter | Plastic scale filter | Plastic scale filter | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| • • • • • • • • • • • • • • • • • • • | • | • | • | • | • | • | | | | |
| • • • • • • • • • • • • • • • • • • • | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | - | - | - | - | - | - | | | | |
| | - | - | - | - | - | - | | | | |
| | - | - | - | - | - | - | | | | |
| | - | - | - | - | - | - | | | | |
| · • • • • • • • • • • • • • • • • • • • | - | - | - | - | - | - | | | | |
| | - | - | - | - | - | - | | | | |
| | - | • | • | • | • | • | | | | |
| | - | - | - | - | - | - | | | | |
| | - | | - | - | - | | | | | |











| | TOAS | STER | | |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| СІТУ | DESIGNLINE PLUS | VILLAGE | VILLAGE | VILLAGE |
| TAT6A913GB | TAT4P443GB | TAT3A011GB | TAT3A0133G | TAT3A0175G |
| Compact toaster | 4 Slot toater | Compact toaster | Compact toaster | Compact toaster |
| Stainless steel | Black | White | Black | Cream |
| Black | Black | Light grey | Black | Anthracite |
| Stainless steel | Stainless steel | Plastic | Plastic | Plastic |
| 915 - 1.090 | 825 - 98 | 825 - 980 | 825 - 980 | 825 - 980 |
| | | | | |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| • | • | • | • | • |
| Variable rotary control |
| • | • | • | • | • |
| • | • | • | • | • |
| Large-surface heating element |
| 220-240 V~ |
| 50/60 Hz |
| GB plug |
| | | | | |

SensorTouch' controls



INTELLIBREW barcode reader.

Thanks to patented barcode technology INTELLIBREW™, the drink specialities from Tassimo are always perfectly prepared with the correct amount of water, at the right temperature and for the right brewing time.




All of your favourite drinks and favourite brands.





Brita Maxtra Water Filter.

A Brita Maxtra water filter system is installed in the water tank of your Tassimo. This filter system from Brita reduces limescale and chlorine to a minimum, thereby ensuring improved aroma and better taste in each cup. The filter system also guarantees a longer appliance life. A digital memo lets you know when the filter needs to be replaced.



Descaling tablets. Keep your Tassimo machine in perfect working order with our Descaling Tablets. Each tablet removes limescale, residue and calcium deposits from your machine, so that it remains in the best condition to create delicious drinks for years.



| ТҮРЕ | MY WAY 2 TASSIMO |
|--|------------------|
| BLACK | TAS6502GB |
| RED | TAS6503GB |
| WHITE | TAS6504GB |
| CREAM | TAS6507GB |
| KEY FEATURES | |
| INTELLIBREW barcode reader | • |
| One Touch Operation | • |
| Multi Beverage | • |
| Removeable Water Tank | • |
| Transparent Water Tank | • |
| Water Tank Size (L) | 1.3 |
| Water Level Gauge | • |
| Colour Alternatives | • |
| Smart Start | |
| Brita Maxtra Water Filter | • |
| Wattage / Power (W) | 1500 |
| Pump Pressure | 3.3 Bar |
| Adjustable Cup Stand | • |
| Removeable Drip Tray | • |
| Auto Shut-Off | • |
| Auto Shut-Off Time – After 60 seconds | • |
| Automatic Cleaning & Descaling Programme | • |
| Descale Warning Feature | • |
| Dishwasher Safe Parts | • |
| Personalisation Settings | • |
| Sensor-Touch Interface | • |
| Appliance Dimensions (HxWxD) (mm) | 290x230x325 |
| Standy By Display | Indicator Light |
| Power Cord Length (cm) | 100 |









Black

Red





White

Cream

Tassimo coffee machines







| ТҮРЕ | HAPPY TAS10 | VIVY TAS14 | SUNY TAS32 |
|---|--|--|-------------------|
| MODEL/COLOUR | TAS1007GB - CREAM/BLACK TAS1001GB - PURPLE/WHITE TAS1006GB - RED/WHITE TAS1003GB - RED/BLACK TAS1002GB - BLACK | TAS1401GB - PINK TAS1407GB - CREAM TAS1403GB - RED TAS1402GB - BLACK TAS1404GB - WHITE | TAS3202GB - BLACK |
| KEY FEATURES | | | |
| INTELLIBREW barcode reader | • | • | • |
| One Touch Operation | • | • | • |
| Multi Beverage | • | • | • |
| Removeable Water Tank | • | • | • |
| Transparent Water Tank | • | • | • |
| Water Tank Size (L) | 0.7 | 0.7 | 0.8 |
| Water Level Gauge | • | • | • |
| Colour Alternatives | • | • | • |
| Smart Start | • | • | • |
| Brita Maxtra Water Filter | - | - | - |
| Wattage / Power (W) | 1400 | 1300 | 1300 |
| Pump Pressure | 3.3 Bar | 3.3 Bar | 3.3 Bar |
| Adjustable Cup Stand | • | • | • |
| Removeable Drip Tray | • | • | • |
| Auto Shut-off | • | • | • |
| Automatic Cleaning & Descaling Programme | • | • | • |
| Descale Warning Feature | • | • | • |
| Dishwasher Safe Parts | • | • | • |
| Personalisation Settings | • | - | - |
| Sensor-Touch Interface | • | - | - |
| Appliance Dimensions (HxWxD) (mm) | 265x175x305 | 251x169x310 | 251x167x305 |
| Standy By Display | Indicator Light | Indicator Light | Indicator Light |
| Power Cord Length (cm) | 90 | 90 | 90 |

Filter Coffee Machines



Refines your coffee

BOSCH

BOSCH

indulgence.

Small appliances 86 | 87

DualHeating System

Coffee must be brewed at the correct temperature to ensure that the full aroma can develop. Two powerful sensorcontrolled heating systems ensure that the brewing water is heated to the ideal temperature of 92-96 °C. The second heating system keeps the coffee warm at 80-85 °C.

VolumeAutomatic

- a sensor in the water tank that detects how many cups are required, then automatically adjusts the brewing time and optimizes the brewing process.

Available from June 2021


| TYPE | FILTER COFFEE MACHINE | | | | | |
|--------------------------|-------------------------------|-------------------------------|--|--|--|--|
| DESIGN FAMILY | STYLINE | STYLINE | | | | |
| MODEL | TKA8011 | TAT7203GB | | | | |
| Main colour | Plastic | Plastic | | | | |
| Secondary colour | White / Anthracite | Black / Black | | | | |
| Availability | June 2021 | June 2021 | | | | |
| KEY FEATURES | | | | | | |
| Approval certificates | UKCA* | UKCA* | | | | |
| Power on indicator | • | • | | | | |
| Auto-OFF | • | • | | | | |
| Volume water tank | 1.25 | 1.25 | | | | |
| Number of cups big/small | Glass carafe with soft handle | Glass carafe with soft handle | | | | |
| POWER SUPPLY | | | | | | |
| Connection Rating (W) | 1160 | 1160 | | | | |
| Voltage (V) | 220-240 | 220-240 | | | | |
| Frequency (Hz) | 50 / 60 | 50/60 | | | | |
| Plug type | GB plug | GB plug | | | | |
| Cable length (cm) | 100 cm | 100 cm | | | | |



• = Yes - = No


Accessories and product specification guide

2021




Cooling technical diagrams

American-style fridge freezer



KAD92HBFP, KAG93AIEPG, KAD93VIFPG, KAD93VBFPG, KAI93VIFPG




KAN93VIFPG

All diagram measurements are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Accessories







Dishwasher accessories

| DESCRIPTION | Accessory Nr. | SMS8YCI01E | SMS6ZDW48G | SMS6EDI02G | SMS6EDW02G | SMS6ZCI00G | SMS6ZCW00G | SMS4HDW52G | SMS4HCI40G | SMS4HCW40G | SMS4HAI40G | SMS4HAW400 |
|--|---------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Small item clip for upper basket | SGZ0IC00 | • | • | • | • | • | • | • | • | • | • | • |
| Aqua stop extension | SGZ1010 | • | • | • | • | • | • | • | • | • | • | • |
| Silver polishing cassette - 45cm dishwashers | SGZ3003 | - | | - | | - | | | - | | - | |
| Silver polishing cassette - 60cm dishwashers | SMZ5002 | - | • | • | • | • | • | • | - | | - | |
| Adjustable cutlery basket | SMZ5100 | • | | | | • | • | | • | • | - | |
| Wine glass holder accessory (Glass secure tray) | SMZ5300 | • | • | • | • | • | • | • | • | • | • | • |
| DESCRIPTION | Accessory Nr. | SMS2HKI66G | SMS2HKW66G | SMS2HVI66G | SMS2HVW66G | SMS2ITI41G | SMS2ITW41G | SPS4HMW53G | SPS4HKI45G | SPS4HKW45G | SKS62E32EU | |
| Small item clip for upper basket | | | | | | | | | | | | |
| oman tem cip for apper basice | SGZ0IC00 | • | • | • | • | • | • | | | | | |
| Aqua stop extension | SGZ0IC00 SGZ1010 | • | : | • | | • | : | • | • | • | | |
| | | | | • | • | | - | • | • | • | • | |
| Aqua stop extension | SGZ1010 | | | | • | • | • | | • | | • | |
| Aqua stop extension Silver polishing cassette - 45cm dishwashers | SGZ1010 SGZ3003 | • | | | • | • | • | • | • | | • | |

Laundry stacking kit compatibility

| DESCRIPTION | Accessory Nr. | WTX88EH9GB | WTX88RH9GB | WTWH7660GB | WTR88T81GB | WTG86402GB | WTW85231GB | WTH85222GB | WTN85201GB |
|---------------------------------|---------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Stacking kit | WTZ20410 | - | | - | - | • | • | • | • |
| Staking kit with pull-out shelf | WTZ11400 | - | | - | - | • | • | • | • |
| DESCRIPTION | Accessory Nr. | WTX88EH9GB | WTX88RH9GB | WTWH7660GB | WTR88T81GB | WTG86402GB | WTW85231GB | WTH85222GB | WTN85201G |
| Stacking kit | WTZ27410 | • | • | • | • | - | | | |
| Staking kit with pull-out shelf | WTZ27400 | • | • | • | • | - | | | |

Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979**

Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit **www.bosch-home.co.uk** or call

www.bosch-home.co.uk or call 0344 892 8979

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call

(01) 450 2655





Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

April 2021.

BSH Home Appliances Limited

Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

BSH Home Appliances Limited

M50 Business Park Ballymount, Dublin 12 **Tel: 1890 626 041**

www.bosch-home.ie